



May 2013

This Media Guide for Office Workgroup Products, Consumer v2.0, is a “living” document. This means it is continually being updated. Revisions of this Media Guide for Office Workgroup Products can be located on [www.mykonicaminolta.com](http://www.mykonicaminolta.com).

This guide is intended solely for the use and information of Konica Minolta Business Solutions U.S.A., Inc., its designated agents and their employees. The information was obtained from several different sources that are deemed reliable by all industry standards. To the best of our knowledge, this information is accurate in all respects. However, neither Konica Minolta Business Solutions U.S.A., Inc. nor any of its agents or employees shall be responsible for any inaccuracies contained herein.

# Table of Contents

---

## PRINT MEDIA OVERVIEW

Purpose of Guide . . . . .	1
Disclaimer . . . . .	1
Paper Basis Weight . . . . .	2
Paper Ream Comparison. . . . .	2
Paper Size Standards. . . . .	3
Paper Weight Conversion Chart. . . . .	7
Paper Characteristics . . . . .	8
Recycled Media . . . . .	12
General Precautions for Paper Usage . . . . .	14
General Precautions for Paper Storage . . . . .	14

## RECOMMENDED MEDIA AND SPECIFICATIONS

<b>Color MFPs</b> . . . . .	15
bizhub C35 . . . . .	16
bizhub C220/C280/C360 . . . . .	18
bizhub C224e/C224/C284e/C284/C364e/C364/C454e/C454/C554e/C554. . . . .	23
bizhub C452/C552/C552DS/C652/C652DS . . . . .	29
bizhub C654e/C654/C754e/C754 . . . . .	33
<b>Color Printers</b> . . . . .	37
bizhub C10/X . . . . .	38
magicolor 1600W/1650EN/1680MF/1690MF . . . . .	40
magicolor 3730DN, bizhub C25 . . . . .	41
magicolor 4650EN/DN, magicolor 4690MF/4695MF, bizhub C20P/X, bizhub C20/X. . . . .	42
magicolor 4750EN/DN, bizhub C35P . . . . .	43
magicolor 5500/5600 Series, bizhub C30P/X, bizhub C31P/X . . . . .	45
magicolor 7450/7450 grafx/7450 II/7450 II grafx . . . . .	48
magicolor 8650DN . . . . .	52

# Table of Contents

---

<b>B&amp;W MFPs</b> .....	57
bizhub 36/42 .....	58
bizhub 215 .....	60
bizhub 223/283/363/423 .....	61
bizhub 361/421/501 .....	63
bizhub 552/652 .....	65
bizhub 601/652 .....	67
bizhub 654/754 .....	69
<b>B&amp;W Printers</b> .....	71
bizhub 20/20P .....	72
pagepro 4650EN/5650EN, bizhub 40P/X .....	73
pagepro 9100N .....	75
<b>PAPER MANUFACTURERS</b>	
Paper Manufacturers .....	76

## Purpose of the Media Guide

The purpose of this media guide is to provide our customers with information about basic paper characteristics, paper handling, general precautions, and proper storage as related to our MFP and printer products. Use this media guide to help select the best media appropriate for your general office use, marketing brochure or collateral, booklet, or any other graphic art output.

We also offer recommended media by product that can be ordered directly from Konica Minolta to ensure high quality printing and desired machine performance. Not all media recommended within this guide can be ordered directly through Konica Minolta; you must contact the manufacturer to purchase the media.

## Disclaimer

As an aid to end users of Konica Minolta MFP and printer products, Konica Minolta Business Solutions U.S.A. Inc. (KMBS) has performed testing on certain media that can be used by Konica Minolta's products. Based solely on such testing, KMBS has found that the products listed have functioned properly using the media listed during the course of testing. However, KMBS can give no assurances based upon such testing that the listed media will perform for any particular end user's product, and KMBS disclaims any warranty, express or implied, to such effect.

KMBS recommends that each end user consult with its servicing dealer both to confirm that use of any listed media with the end user's product will not affect any servicing agreement with such dealer, and that the product is maintained in the appropriate environmental and other conditions stated in the product's operator's manual so as to optimize the possibility for replicating the results achieved in KMBS testing. This guide does not constitute an endorsement of the listed media, and there may be other media that enable the listed products to function properly.

Please note that the print media listed has been tested and approved for use in MFP and printers sold in the Americas only. Using certain media may affect fuser yield life.

For a complete overview of product usage, please refer to the product's user manual.

# Print Media Overview


---

## Paper Basis Weight


The basis weight refers to the weight in pounds of 500 sheets of paper when it has been cut to that paper's standard basic size. For example the basic size for Bond paper is 17" x 22". If 500 sheets (a ream) of Bond is cut to its basic size of 17" x 22" and weighs 20 pounds, it is classified as 20 lb. Bond. If a 17" x 22" ream of Bond paper weighed 24 pounds it would be called 24 lb. Bond, and so on. The chart below contains some common paper types and their basic size.

PAPER TYPE	BASIC SIZE
Bond	17" x 22"
Ledger	17" x 22"
Offset	25" x 38"
Book	25" x 38"
Cover	20" x 26"
Index Bristol	25-1/2" x 30-1/2"
Vellum Bristol	22-1/2" x 28-1/2"
Printing Bristol	22-1/2" x 28-1/2"
Tag/Newsprint	24" x 36"

## Paper Ream Comparison



**A ream 500 sheets of 17" x 22" Bond paper that weighs 20 pounds**




**A ream 500 sheets of 17" x 22" Bond paper that weighs 24 pounds. The thicker paper results in a taller, heavier ream.**

## Paper Size Standards

### ISO SIZE STANDARDS

The International Organization for Standardization (ISO) has established standards for paper sizes based on the metric system (millimeters). The standards have been grouped into three different series of requirements: "A-series", for general printing, "B-series", for posters, and "C-series", for envelopes, postcards, and folders. The "A" series is the most commonly used with sizes ranging from A0, which is the largest, down to A8.

The A-series sizes are all represented as a part of the area of one square meter with a length to width ratio of 1.414. The size A0 is equivalent to the area of a square meter with each smaller size being 50% of the size of the preceding one. A1 is 50% of the area of A0, A2 is 50% of A1, and so on. Another way to look at it is that when an A0 sheet is cut in half, two A1 sheets are produced, and when an A1 sheet is cut in half, two A2 sheets are produced. Some of the sizes for the A-series are shown in the illustration below.



**Sheet Sizes based on ISO Standards**

In the metric system, paper is based on the weight of 500 sheets of paper that measures one square meter. This measurement is known as  $\text{g/m}^2$  or grams per square meter.

# Print Media Overview

---


## ISO PAPER SIZES CHART

PAPER SIZE	MILLIMETERS			INCHES		
	Width	Height	Area	Width	Height	Area
A0	841	x	1189	33.11	x	46.81
A1	594	x	841	23.39	x	33.11
A2	420	x	594	16.54	x	23.39
A3	297	x	420	11.69	x	16.54
A4	210	x	297	8.27	x	11.69
A5	148	x	210	5.83	x	8.27
A6 (postcard)	105	x	148	4.13	x	5.83
A7	74	x	105	2.91	x	4.13
A8	52	x	74	2.05	x	2.91
A9	37	x	52	1.46	x	2.05
A10	26	x	37	1.02	x	1.46
B0	1000	x	1414	39.37	x	55.67
B1	707	x	1000	27.83	x	39.37
B2	500	x	707	19.69	x	27.83
B3	353	x	500	13.9	x	19.69
B4	250	x	353	9.84	x	13.9
B5	176	x	250	6.93	x	9.84
B6	125	x	176	4.92	x	6.93
B7	88	x	125	3.46	x	4.92
B8	62	x	88	2.44	x	3.46
B9	44	x	62	1.73	x	2.44
B10	31	x	44	1.22	x	1.73
C0	917	x	1297	36.1	x	51.06
C1	648	x	917	25.51	x	36.1
C2	458	x	648	18.03	x	25.51
C3	324	x	458	12.76	x	18.03
C4 (envelope)	229	x	324	9.02	x	12.76
C5 (envelope)	162	x	229	6.38	x	9.02
C6 (envelope)	114	x	162	4.49	x	6.38
C7	81	x	114	3.19	x	4.49
C8	57	x	81	2.24	x	3.19
C9	40	x	57	1.57	x	2.24
C10	28	x	40	1.1	x	1.57



## NORTH AMERICAN SIZE STANDARDS

Although the ISO size standards are common in many parts of the world where the metric system is the established standard for measurement, North American sheet sizes are based on inches and are shown in the illustration below.



**Sheet Sizes based on North American Standards**

Some paper manufacturers specify their paper on a thousand-sheet basis. The label may state something like "25 x 38 - 140M". This refers to book grade paper (based on basis size), weight of 140 pounds with the "M" standing for 1000 sheets. Since we commonly refer to paper based on basis weight of 500 sheets, this would equate to 70 lb. book stock. The 140M is 140 pounds for 1,000 sheets - divide by 2 and you have 70 lb. for 500 sheets.

Paper with specifications similar to "24/60 lb. (90 g/m<sup>2</sup>)" refers to a 24 lb. bond or 60 lb. book grade paper. Refer the paper weight conversion chart on page 7.

# Print Media Overview

---

## COMMON PAPER SIZES IN NORTH AMERICA

DOMESTIC	INCHES		
Special	11.7	x	19.5
Universal	11.69	x	17.69
Ledger, B, Double	11	x	17
Legal	8.5	x	14
Small Legal	8.5	x	13
Letter, A	8.5	x	11
Folio	8.28	x	13
Commercial	8.28	x	10.63
Foolscap	8	x	13
Quarto	8	x	10
Executive	7.25	x	10.5
Statement, Half	5.5	x	8.5

ENVELOPES	INCHES		
COM 9	3.88	x	8.88
COM10	4.13	x	9.5
COM 11	4.5	x	10.39
COM 12	4.75	x	11
Monarch E	3.88	x	7.5
DL	4.33	x	8.67
C5	6.38	x	9.02

# Print Media Overview

## Paper Weight Conversion Chart

<b>G/M<sup>2</sup></b> (1 SQ. METER)	<b>BOND</b> (17" X 22")	<b>COVER</b> (20" X 26")	<b>BRISTOL</b> (22.5" X 28.5")	<b>INDEX</b> (25.5" X 30.5")	<b>BOOK</b> (25" X 38")
44	12	16	20	24	30
49	13	18	22	27	33
59	16	22	27	33	40
60	16	22	27	33	41
61	16	23	28	34	41
67	18	25	31	37	45
74	20	27	34	41	50
75	20	28	34	41	51
81	22	30	37	45	55
89	24	33	41	49	60
90	24	33	41	50	61
96	26	36	44	53	65
104	28	38	47	58	70
105	28	39	48	58	71
111	30	41	51	61	75
118	31	44	54	65	80
120	32	44	55	66	81
125	33	46	57	69	85
133	35	49	61	74	90
135	36	50	62	75	91
147	39	54	67	81	99
148	39	55	67	82	100
149	40	55	68	82	101
150	40	56	68	83	101
158	42	58	72	87	107
162	43	60	74	90	110
163	43	60	74	90	110
169	45	63	77	93	114
175	47	65	80	97	118
176	47	65	80	97	119
178	47	66	81	98	120
199	53	74	91	110	135
203	54	75	93	112	137
216	57	80	98	119	146
219	58	81	100	121	148
243	65	90	111	134	164
244	65	90	111	135	165
252	67	93	115	139	170
253	67	94	115	140	171
261	69	97	119	144	176
263	70	97	120	145	178
270	72	100	123	149	183
271	72	100	124	150	183
284	76	105	130	157	192
306	81	113	140	169	207
307	82	114	140	170	208
326	87	121	149	180	220
328	87	121	150	181	222
351	93	130	160	194	237

Industry-standard basis weights

# Print Media Overview

---

## Paper Characteristics


### PAPER GRADES

Paper grade define the use of the paper, and usually its purpose is suggested by its name. The most common grades are outlined below.

- **Bond** - This is the most common type of paper used in a business environment. Bond papers are used for standard forms and business letters. Bond paper readily accepts ink from laser printers, inkjets, typewriters and writing pens.
- **Cover** - As the name implies, this grade of paper is generally used for making covers for booklets. Cover stock can be purchased as coated and non-coated, textured and with finishes ranging from antique to smooth.
- **Bristol** - Bristol is considered a board grade. It's very receptive to inks, has good snap and resilience - in other words - stiff.
- **Index** - Index is commonly used as a cheap substitute to a good quality stiff paper, and is available in smooth and vellum finishes.
- **Book** - As implied by its name, this grade of paper is used for textbooks as well as general printing.

### PAPER GRAIN

The grain of the paper refers to the direction of the fibers in a sheet of paper. Long grain paper refers to paper in which the fibers run in the same direction as the longest measurement of the paper. Short grain paper refers to paper in which the fibers run in the same direction as the shortest measurement of the paper. When paper is torn, it will tear easier and straighter when torn parallel with the grain. It will also fold easier parallel to the grain and produce a cleaner fold than if folded across the grain. Laser printers require long grain paper for the best results. Short grain paper may not feed properly into a laser printer and the heat produced by a laser printer may result in the sheets curling as they come out of the printer.



**Long grain direction on an 8.5" x 11" sheet**

## PAPER FINISH

The finish refers to the surface characteristics of the paper such as how the paper feels...is it smooth such as glossy cover or rough with an antique finish? Does the paper have a shiny appearance such as coated glossy papers or is it dull like bond paper? Does the paper enhance the look of the printed piece similar to watermarked paper or is it purely functional like newsprint?

Finishes can be applied to paper during the manufacturing process or produced offline. A finish such as Laid can be created while it is being manufactured with the use of a marking roller that forms the pattern in the paper while it is still wet. Not all of these finished types of media are commonly imaged through MFP and printers. Typically Gloss or Matte finished media are imaged on MFP and printers.

- **Cockle** - A cockle finish simulates characteristics of hand made paper with a wavy, rippled, puckered finish. The effect is obtained by air drying the paper under minimum tension.
- **Felt** - Felt is a soft texture on uncoated paper that is created during the papermaking process with a either felt covered roller or with a rubber roller with a felt pattern that creates the finish. It can also be accomplished as an offline process. The felt finish does not affect the strength of the paper.
- **Gloss** - A gloss finish produces a shiny and reflective surface on one or both sides of certain coated papers. A higher gloss is usually seen on higher quality coated papers. The gloss finish is produced from compounds added during the paper making process.
- **Laid** - A laid finish has the appearance of translucent lines running horizontally and vertically in the paper. It is produced during the papermaking process with a special roller that creates the pattern in the wet paper.
- **Linen** - Linen finished paper resembles linen cloth and is usually produced after the papermaking process as an offline embossing process.
- **Matte** - A finish on certain coated papers that is smooth but gives a dull appearance. A matte finish, as well as other types of coated paper, are good choices for print jobs in which high quality is required.

# Print Media Overview

---

- **Parchment** - A paper finish that has an old or antique appearance and is the result of washing sulfuric acid over the paper and then quickly neutralizing the acid wash. This process melts the outer paper fibers which fill the voids in the rest of the paper. Parchment is very durable and grease resistant.
- **Smooth** - A smooth finish is the result of the paper passing through sets of rollers during the papermaking process. This process is known as calendering.
- **Vellum** - A vellum finish has an eggshell appearance and is consistent and even but not as much as a smooth finish. Vellum is one of the most popular uncoated finishes and paper with this finish has a high ink absorbency rate.
- **Wove** - An even finish in uncoated paper with a slight texture made by a felt roller covered in woven wire.

## WHITENESS

The whiteness of paper is the measure of its ability to reflect the colors of light equally. The more evenly a paper reflects all colors of the spectrum, the whiter the sheet. Some papers may reflect slightly cool colors back to our eyes and give the illusion that the sheet is actually brighter than white paper. If white paper has a slight warm appearance it will not appear as bright as a sheet that reflects a cool color, however warm colors printed on a warm sheet will appear stronger than when printed on a cool sheet. Cool colors printed on a cool white sheet are also enhanced in the same way. There is no such thing as a pure white sheet of paper, since the white that we see is always influenced by the lighting of our environment and the reflections from surrounding objects.

## BRIGHTNESS

Brightness refers to the percent of light reflected back from a sheet of paper as measured by a light meter reading. Contrast is reduced and highlights are not as strong when paper with a lower brightness is used for a printed piece. The quality and brightness of paper is organized into six categories:

PAPER BRIGHTNESS	
Premium	88.0 to 95.0 Brightness
Number 1	85.0 to 87.9 Brightness
Number 2	83.0 to 84.9 Brightness
Number 3	79.0 to 82.9 Brightness
Number 4	73.0 to 78.9 Brightness
Number 5	72.9 and below

## ACIDITY/ALKALINITY

The pH (potential for Hydrogen) measurement of paper determines the degree of acidity and alkalinity in the stock. The pH scale has readings of 0 to 14 with 7 being neutral. Readings below a pH of 7.0 are acidic and above are alkaline. Each single digit actually equals a measure of 10, so a stock measuring 4.0 pH is 20 times more acidic than one measuring 6.0 pH. Paper can have an acid base, an alkaline base or it can be neutral with a pH of 7. Most paper manufactured in the 20th century was of an acid base. Acidic papers deteriorate in a relatively short period of time, and should never be used for printed items that are intended to last for many years. Since the 1970's, most of the paper used for book publishing and other printed materials where permanence is of importance, has been alkaline paper, which lasts much longer than acid based paper. Alkaline paper is manufactured with fillers such as calcium carbonate, which bring the pH above 7. An acidic paper like newsprint has a pH around 4.5 which becomes lower once it is printed. The acid level tends to break down the paper and it can deteriorate rapidly, which is why newspapers tend to yellow and fall apart in time. Alkaline paper (a pH above 7) is said to be permanent, but papers that have a neutral pH are still best for preserving items like photographic albums and as matte boards for artwork.

# Print Media Overview

---



## Recycled Media

The emerging use of recycled paper represents an estimated 5% of the U.S. market, and is growing more each year—across the States and globally. Factors that are driving this steady progression include:

- **Myths unraveled:** In the past, consumers had concerns that recycled products could not efficiently be used in their office products without causing product damage or a void in warranty. Manufacturer testing has overturned these misconceptions and returned consumer confidence.

Cost has also been a huge concern, with consumers expecting to pay more for recycled media. The fact is, while some recycled media stocks do cost more, the price differentials are smaller than ever, with many grades cost competitive with virgin papers, and some less.

- **Green state of mind:** Consumers are becoming more concerned about environmental initiatives, realizing that by using recycled paper, they can partake in a process that saves trees, energy, water and landfill space.
- **Government and educational initiatives:** The federal government now mandates that its purchasers and some contractors buy recycled paper. Some state and local governments require the same, with all 50 states having some type of legislation or executive order encouraging the purchase of this type of media.

Some educational facilities, significant users of printed media, are working to implement similar standards in order to lessen their environmental impact.

In the US market, there are some manufacturers that offer 100% PCW (Post Consumer Waste) recycled paper, both in regular 20 lb. office and premium 28 lb.+ copy paper. Most manufacturers offer at least a 30% PCW option. Konica Minolta continues to test new recycled media offerings and deliver the 'green' stamp of approval for use on its line of MFP and printer products.




Konica Minolta's environmental initiatives go far beyond media testing. From product conception throughout its lifecycle, and even in Konica Minolta's daily business life, the company has measures in place to reduce its global impact, achieve environment-saving goals and establish a recycling-based society. Learn more about the company's commitment to the planet by accessing the Konica Minolta environmental web page at:

**[kmbs.konicaminolta.us/wps/portal/web/home/environment](http://kmbs.konicaminolta.us/wps/portal/web/home/environment)**

## KONICA MINOLTA ENVIRONMENT BROCHURE

*Click on Environmental Brochure link*

This document details Konica Minolta's dedication to the environment through an integrated environmental management system. The policy, directed under an ISO 14001-based management system, outlines short- and long-term objectives, addressing such issues as global warming. You'll learn how Konica Minolta plans to cut electrical use in some color MFPs by about one third, as well as reduce CO2 emissions by minimizing the use of air transport and using electric cars as service vehicles.



## KONICA MINOLTA ENVIRONMENT REPORT

*Click on Environmental Report link*

This document provides an overview of the activities and processes Konica Minolta follows to reduce the company's environmental impact, including creating Energy Star certified products, using recyclable materials, reducing emissions throughout the product lifecycle and developing energy-saving features for its products.



## KONICA MINOLTA CLEAN PLANET PROGRAM

*Click on Clean Planet Program link*

This program is an initiative to collect and recycle used toner cartridges. It's a voluntary program that enables users to send their used cartridges back for free in order for them to be refurbished and reused, recycled for parts or disposed of through environmentally safe methods.



Be sure to visit the Konica Minolta environmental web page on a regular basis for the most updated information on our commitment to protecting the environment.

# Print Media Overview

---

## General Precautions for Paper Usage

The following types of paper should not be used, otherwise decreased print quality, paper misfeeds or damage to the MFP or printer may occur:

- Overhead projector transparency that has already been fed through the machine (even if the transparency is still blank)
- Paper that has been printed on by a heat-transfer printer or an inkjet printer
- Paper that is either extremely thick or extremely thin
- Folded, curled, wrinkled, or torn paper
- Paper that has been left unwrapped for a long period of time
- Damp paper, perforated paper, or paper with punched holes
- Extremely smooth, extremely rough paper, or paper with an uneven surface
- Paper that has been treated, such as carbon-backed, heat-sensitive or pressure-sensitive paper
- Paper that has been decorated with foil or embossing
- Paper of a non-standard shape (not rectangular)
- Paper that is bound with glue, staples or paper clips
- Paper with labels attached
- Paper with ribbons, hooks, buttons, etc. attached

## General Precautions for Paper Storage

Observe the following precautions when storing the paper:

- Store paper in a cool, dark location with little humidity.
- If humidity is a problem, then paper should be plastic wrapped.
- Allow paper to adjust to any extreme temperature or humidity changes before using.
- If the paper becomes damp, paper misfeeds may occur. Paper that has not been loaded should be kept wrapped or placed in a plastic bag and stored in a cool, dark location with little humidity.
- Store the paper laying flat, not standing on its edge. Curled paper may cause paper misfeeds.



# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C35

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR COLOR OUTPUT</b>								
Domtar	Microprint Laser	n/a	-	Letter	24 lb. (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>PLAIN PAPER FOR MONOCHROME OUTPUT</b>								
Xerox	Xerox 4200	n/a	-	Letter	20 lb. (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>THICK STOCK</b>								
Canon	NS-700	n/a	-	Letter	42 lb. 157 g/m <sup>2</sup>	Any Tray, Bypass	Thick	Yes
Canon	NS-1000	n/a	-	Letter	55 lb. 209 g/m <sup>2</sup>	Any Tray, Bypass	Thick	Yes
<b>RECYCLED</b>								
International Paper	Hammermill Bond	n/a	-	Letter	20 lb. 75 g/m <sup>2</sup>	Any Tray, Bypass	Thick	Yes
<b>GLOSSY</b>								
POD	Glossy Coat	n/a	-	Letter	34 lb. 128 g/m <sup>2</sup>	-	-	Yes
<b>ENVELOPES</b>								
-	-	-	-	B5 6"x9" (176x250 mm)	INA	Tray 1	Envelope	No
-	-	-	-	Monarch Com10 4.125"x9.5" (104.8x241.3 mm)	INA	Tray 1	Envelope	No
-	-	-	-	Envelope Monarch 7.5"x3.875" (190x98.4 mm)	-	Tray 1	Envelope	No
-	-	-	-	Envelope DL 8.7"x4.3" (220x110 mm)	-	Tray 1	Envelope	No
-	-	-	-	Envelope C6 6.4"x4.53" (162x114 mm)	-	Tray 1	Envelope	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color MFPs

## Media Type Specification: bizhub C35

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1/ BYPASS	TRAY 2	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	100 sheets	250 sheets	Yes
Recycled Paper	16-24 lb. (60-90 g/m <sup>2</sup> )			
Thick Paper 1	25-40 lb. (91-150 g/m <sup>2</sup> )			
Thick Paper 2	41-55 lb. (151-209 g/m <sup>2</sup> )			No
Coated Paper 1	27-34 lb. (210-256 g/m <sup>2</sup> )			
Coated Paper 2	34-42 lb. (257-271 g/m <sup>2</sup> )			
Envelopes	-	10 sheets	-	
Labels	-	20 sheets	-	

### PF-P08 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 3	TRAY 4	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	500 sheets	500 sheets	Yes
Thick Paper 1	25-40 lb. (91-150 g/m <sup>2</sup> )	150 sheets	150 sheets	
Thick Paper 2	41-55 lb. (151-209 g/m <sup>2</sup> )			
Thick Paper 3	56-72 lb. (210-256 g/m <sup>2</sup> )			

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C220/C280/C360

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR COLOR OUTPUT</b>								
Konica Minolta	CF Paper	8918308	Plain Paper 1000 sheets	12" x 18"	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Konica Minolta	CF Paper	8918320	Plain Paper 1000 sheets	Ledger	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Konica Minolta	CF Paper	8918321	Plain Paper 2000 sheets	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Konica Minolta	CF Paper	8918309	Plain Paper 1500 sheets	12" x 18"	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918314	Plain Paper 1500 sheets	Ledger	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918315	Plain Paper 2500 sheets	Letter	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
International Paper	Hammermill	n/a	Color Copy Photo White	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill	n/a	Color Copy	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill	n/a	Color Copy Cover	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill	n/a	Color Copy Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Hammermill	n/a	Color Copy Cover	Letter	100 lb. Cover (271 g/m <sup>2</sup> )	Bypass	Thick 4	No
Domtar	Recycled Copy	n/a	30% Post Consumer	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	MicroPrint Laser	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	MicroPrint	n/a	Color Copy	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Smart Papers	Carnival Stellar White	n/a	-	Letter	24 lb. Bond (89 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Smart Papers	Carnival White	n/a	-	Letter	24 lb. Bond (89 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Smart Papers	Synergy Bond 25% Cotton	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Mohawk Fine Papers Inc.	Color Copy	n/a	98 Bright White	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C220/C280/C360

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #**	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR MONOCHROME OUTPUT</b>								
International Paper	Hammermill	n/a	Tidal MP	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>RECYCLED</b>								
Domtar	Recycled Copy	n/a	30% PCW Recycled Paper	Letter	20 lb. Bond (75.20 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>GLOSSY - SINGLE-SIDED</b>								
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 10 pt Cover	Letter	10 pt. Cover (219 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 12 pt Cover	Letter	12 pt. Cover (247 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
<b>GLOSSY - DOUBLE-SIDED</b>								
Sappi	Opus Gloss	n/a	-	Letter	80 lb. Text (118 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Sappi	Opus Gloss Cover	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote plus C2S Cover	n/a	-	Letter	90 lb. Cover (237 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated Two Sides 10 pt Cover	Letter	10 pt. Cover (234 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers**	Kromekote Laser High Gloss	n/a	Coated Two Sides	Letter	90 lb. Text (133 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White 100C	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	No
Domtar	MicroPrint	n/a	Coated Laser Gloss Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* Smart Papers Kromekote Laser High Gloss 90 lb. Text (133 g/m<sup>2</sup>) cannot be used in high humidity environments.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C220/C280/C360

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>COVER STOCK</b>								
Domtar	MicroPrint	n/a	Color Copy Cover	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	MicroPrint	n/a	Color Copy Cover	Letter	65 lb. Cover (176 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	MicroPrint	n/a	Laser Matte Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Domtar	MicroPrint	n/a	Color Copy Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Carnival White Cover	n/a	Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Wausau Paper	Exact Index	n/a	-	Letter	140 lb. Index (255 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	No
<b>ENVELOPES</b>								
Litho & Paper Corp.	Argo Envelope	n/a	Preservation Wove 5789	11" x 6.75"	24 lb.	Bypass	Envelope	No
<b>BANNER PAPER</b>								
Konica Minolta	Banner Paper	76400 02409	Plain Paper 200 sheets	11.75" x 47.25"	100 lb. Text (180 g/m <sup>2</sup> )	Bypass	Banner Mode / Thick 1	No
<b>LABELS</b>								
Avery	4" x 6" Postcard	n/a	5889	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6870 30 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6873 8 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6876 2 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6878 4 labels/ sheet	Letter	-	Bypass	Thick 1	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.



## Recommended Media and Specifications Color MFPs

### Recommended Media: bizhub C220/C280/C360

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>SPECIALTY PAPER</b>								
Techni-Print**	Photo T-Shirt Transfer	n/a	9721PO-8511	Letter	-	Any Tray, Bypass	Thick 2	No
<b>TRANSPARENCY</b>								
3M	Color Laser	n/a	CG3700 9488-4	Letter	5 mil	Bypass	OHP	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* T-Shirt Transfer Paper should not be solely used in the copier and should only be used on a limited basis (250 sheets per run maximum). Also, pay particular attention if a misfeed occurs in the fuser section of the copier. It should be removed immediately (due to odor) and then 15-25 sheets of regular (20 lb. bond) paper should be run to clean the fusing rollers. Also this media cannot be used in high humidity environments.

# Recommended Media and Specifications Color MFPs

## Media Type Specification: bizhub C220/C280/C360

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	MULTIPLE BYPASS	AUTO DUPLEX**
Plain Paper	60-90 g/m <sup>2</sup>	500 sheets	500 sheets	150 sheets	Yes
OHP Film Transparency	-	-	-	20 sheets*	No
Thick Paper 1	91-150 g/m <sup>2</sup>	150 sheets	150 sheets		Yes
Thick Paper 2	151-209 g/m <sup>2</sup>				
Thick Paper 3	210-256 g/m <sup>2</sup>				
Thick Paper 4	257-271 g/m <sup>2</sup>	-	-	No	
Postcards	-	-	-		
Envelopes	-	-	-		10 sheets
Labels	-	-	-		20 sheets
Banner Paper	127-210 g/m <sup>2</sup>	-	-		10 sheets

### PC-107/PC-207 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 3	TRAY 4	AUTO DUPLEX**
Plain Paper	60-90 g/m <sup>2</sup>	500 sheets	500 sheets	Yes
Thick Paper 1	91-150 g/m <sup>2</sup>	150 sheets	150 sheets	
Thick Paper 2	151-209 g/m <sup>2</sup>			
Thick Paper 3	210-256 g/m <sup>2</sup>			

### PC-408 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LCT TRAY	AUTO DUPLEX**
Plain Paper	60-90 g/m <sup>2</sup>	2,500 sheets	Yes
Thick Paper 1	91-150 g/m <sup>2</sup>	1,000 sheets	
Thick Paper 2	151-209 g/m <sup>2</sup>		
Thick Paper 3	210-256 g/m <sup>2</sup>		

\* Monochrome print only.

\*\* For Auto Duplex, only plain paper weighing 64-90 g/m<sup>2</sup> or thick paper weighing 91-256 g/m<sup>2</sup> are reliably fed.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C224e/C224/C284e/C284/C364e/C364/C454e/C454/C554e/C554

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR COLOR OUTPUT</b>								
Konica Minolta	CF Paper	8918315	Plain Paper 2500 sheets	Letter	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918314	Plain Paper 1500 sheets	Ledger	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918309	Plain Paper 1500 sheets	12" x 18"	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918321	Plain Paper 2000 sheets	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Konica Minolta	CF Paper	8918320	Plain Paper 1000 sheets	Ledger	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Konica Minolta	CF Paper	8918308	Plain Paper 1000 sheets	12" x 18"	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill Color Copy	n/a	-	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill Color Copy	n/a	Photo White	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill Color Copy	n/a	Cover	Letter	60 lb. Bond (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill Color Copy	n/a	-	Letter	80 lb. Bond (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Hammermill Color Copy	n/a	-	Letter	100 lb. Bond (271 g/m <sup>2</sup> )	Bypass	Thick 4	Yes
Domtar	Recycled	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	Microprint Laser	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	Microprint Color Copy	n/a	-	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Mohawk Fine Papers Inc.	98 Bright White	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Smart Papers	Carnival Stellar White	n/a	-	Letter	24 lb. Bond (89 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Smart Papers	Carnival White	n/a	-	Letter	24 lb. Bond (89 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Smart Papers	Synergy Bond 25% Cotton	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C224e/C224/C284e/C284/C364e/C364/C454e/C454/C554e/C554

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR MONOCHROME OUTPUT</b>								
International Paper	Hammernill Tidal MP	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>GLOSSY - SINGLE-SIDED</b>								
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 10 pt Cover	Letter	10 pt. Cover (219 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 10 pt Cover	Letter	12 pt. Cover (247 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
<b>GLOSSY - DOUBLE-SIDED</b>								
Sappi	Opus Gloss	n/a	-	Letter	80 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Sappi	Opus Gloss Cover	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	-	Letter	90 lb. Bond 133 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated Two Sides 10 pt Cover	Letter	10 pt. Cover (234 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Plus C2S Cover	n/a	-	Letter	90 lb. Cover (237 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White 100C	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	No
Domtar	Microprint	n/a	Coated Laser Gloss	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
<b>COVER STOCK</b>								
Domtar	Microprint	n/a	Coated Laser Gloss Cover	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	Microprint	n/a	Color Copy Cover	Letter	65 lb. Cover (176 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	Microprint	n/a	Coated Laser Matte Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Domtar	Microprint	n/a	Color Copy Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C224e/C224/C284e/C284/C364e/C364/C454e/C454/C554e/C554

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>COVER STOCK (CONTINUED)</b>								
Smart Papers	Carnival White Cover	n/a	Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Wausau Paper	Exact Index	n/a	-	Letter	140 lb. Index (255 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	No
<b>BANNER PAPER</b>								
Konica Minolta	Banner Paper	76400 02409	Plain Paper 200 sheets	11.75" x 47.25"	100 lb. Text (180 g/m <sup>2</sup> )	Bypass	Banner Mode / Thick 1	No
<b>LABELS</b>								
Avery	Color Printing Labels	n/a	#5889 Postcard	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6870 30 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6973 8 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6876 2 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6878 4 labels/ sheet	Letter	-	Bypass	Thick 1	No
<b>ENVELOPES</b>								
Preservation	Wove	n/a	Preservation Wove 5789 #6 3/4	3.85" x 6.5"	24 lb.	Bypass	Envelope	No
<b>TAB DIVIDERS</b>								
Avery	Dennison Long Edge	n/a	#20406 long edge	Letter	-	Bypass	-	No
<b>SPECIALTY</b>								
Techni-Print**	Photo T-Shirt Transfer	n/a	9721PO	Letter	-	Bypass	-	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* T-Shirt Transfer Paper should not be solely used in the copier and should only be used on a limited basis (250 sheets per run maximum). Also, pay particular attention if a misfeed occurs in the fuser section of the copier. It should be removed immediately (due to odor) and then 15-25 sheets of regular (20 lb. bond) paper should be run to clean the fusing rollers. Also this media cannot be used in high humidity environments.

# Recommended Media and Specifications Color MFPs

## Media Type Specification: bizhub C224e/C224/C284e/C284/C364e/C364/C454e/C454/C554e/C554

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	MULTIPLE BYPASS	AUTO DUPLEX
Thin Paper	14-15.5 lb. (52-59 g/m <sup>2</sup> )	500 sheets	500 sheets	-	Yes
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )			150 sheets	
Recycled Paper	16-24 lb. (60-90 g/m <sup>2</sup> )				
Thick Paper 1	24.25-32 lb. (91-120 g/m <sup>2</sup> )	150 sheets	150 sheets	20 sheets	
Thick Paper 2	42-55.5 lb. (158-209 g/m <sup>2</sup> )				
Thick Paper 3	55.75-68 lb. (210-256 g/m <sup>2</sup> )				
Thick Paper 4	68.25-79.75 lb. (257-300 g/m <sup>2</sup> )	-	-		
Envelopes	-	-	-	10 sheets	No
Labels	-	-	-		
Banner Paper	34-55.5 lb. (127-210 g/m <sup>2</sup> )	-	-		

### PC-110 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 3	AUTO DUPLEX
Thin Paper	14-15.5 lb. (52-59 g/m <sup>2</sup> )	500 sheets	Yes
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )		
Recycled Paper	16-24 lb. (60-90 g/m <sup>2</sup> )		
Thick Paper 1	24.25-32 lb. (91-120 g/m <sup>2</sup> )	150 sheets	
Thick Paper 2	42-55.5 lb. (158-209 g/m <sup>2</sup> )		
Thick Paper 3	55.75-68 lb. (210-256 g/m <sup>2</sup> )		

# Recommended Media and Specifications Color MFPs

## Media Type Specification: bizhub C224e/C224/C284e/C284/C364e/C364/C454e/C454/C554e/C554

### PC-210 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 3	TRAY 4	AUTO DUPLEX
Thin Paper	14-15.5 lb. (52-59 g/m <sup>2</sup> )	500 sheets	500 sheets	Yes
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )			
Recycled Paper	16-24 lb. (60-90 g/m <sup>2</sup> )			
Thick Paper 1	24.25-32 lb. (91-120 g/m <sup>2</sup> )	150 sheets	150 sheets	
Thick Paper 2	42-55.5 lb. (158-209 g/m <sup>2</sup> )			
Thick Paper 3	55.75-68 lb. (210-256 g/m <sup>2</sup> )			

### PC-410 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LCT TRAY	AUTO DUPLEX
Thin Paper	14-15.5 lb. (52-59 g/m <sup>2</sup> )	2,500 sheets	Yes
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )		
Recycled Paper	16-24 lb. (60-90 g/m <sup>2</sup> )		
Thick Paper 1	24.25-32 lb. (91-120 g/m <sup>2</sup> )	1,000 sheets	
Thick Paper 2	42-55.5 lb. (158-209 g/m <sup>2</sup> )		
Thick Paper 3	55.75-68 lb. (210-256 g/m <sup>2</sup> )		

### LU-301 TRAY CAPACITY AND SUPPORTED MEDIA (BIZHUB C554E/C554/C454E/C454 ONLY)

MEDIA TYPE	WEIGHT	LCT TRAY	AUTO DUPLEX
Thin Paper	14-15.5 lb. (52-59 g/m <sup>2</sup> )	3,300 sheets	Yes
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	3,000 sheets	
Thick Paper 1	24.25-32 lb. (91-120 g/m <sup>2</sup> )	2,500 sheets	
Thick Paper 2	42-55.5 lb. (158-209 g/m <sup>2</sup> )	1,550 sheets	
Thick Paper 3	55.75-68 lb. (210-256 g/m <sup>2</sup> )	1,300 sheets	

# Recommended Media and Specifications Color MFPs

---

**Media Type Specification: bizhub C224e/C224/C284e/C284/C364e/C364/C454e/C454/C554e/C554**

**LU-204 TRAY CAPACITY AND SUPPORTED MEDIA (BIZHUB C554E/C554/C454E/C454 ONLY)**

MEDIA TYPE	WEIGHT	LCT TRAY	AUTO DUPLEX
Thin Paper	14-15.5 lb. (52-59 g/m <sup>2</sup> )	2,750 sheets	Yes
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	2,500 sheets	
Thick Paper 1	24.25-32 lb. (91-120 g/m <sup>2</sup> )	2,000 sheets	
Thick Paper 2	42-55.5 lb. (158-209 g/m <sup>2</sup> )	1,250 sheets	
Thick Paper 3	55.75-68 lb. (210-256 g/m <sup>2</sup> )	1,000 sheets	



# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C452/C552/C552DS/C652/C652DS

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Laser Print	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
International Paper	Hammermill Tidal MP	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
International Paper	New Radiant White 90	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	Recycled Copy	n/a	30% Post Consumer	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	Microprint Laser	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918315	Plain Paper 2500 sheets	Letter	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918314	Plain Paper 1500 sheets	Ledger	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918309	Plain Paper 1500 sheets	12" x 18"	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918321	Plain Paper 2000 sheets	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918320	Plain Paper 1000 sheets	Ledger	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918308	Plain Paper 1000 sheets	12" x 18"	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Domtar	Color Copy	n/a	-	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill	n/a	Color Copy	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
<b>COVER STOCK</b>								
International Paper	Hammermill Color Copy Cover	n/a	Photo White	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill Color Copy Cover	n/a	-	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	Microprint Color Copy	n/a	Cover	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	Microprint Color Copy	n/a	Cover	Letter	65 lb. Cover (176 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill Color Copy Cover	n/a	Photo White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	INA
Domtar	Microprint Color Copy	n/a	Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Carnival White Cover	n/a	Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	INA
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Springhill	n/a	Index Stock Code 015545	Letter	140 lb. Index (255 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C452/C552/C552DS/C652/C652DS

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>COVER STOCK (CONTINUED)</b>								
Wausau Paper	Exact Index	n/a	-	Letter	140 lb. Index (255 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Hammemill Color Copy Cover	n/a	-	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	INA
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	Yes
<b>GLOSSY - SINGLE-SIDED</b>								
LaserCast	-	n/a	95 Single Side Glossy	Letter	95 lb. Text (144 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	No
LaserCast	-	n/a	125 Single Side Glossy	Letter	125 lb. Text (184 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	No
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 10 pt Cover	Letter	10 pt. Cover (219 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 12 pt Cover	Letter	12 pt. Cover (247 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
<b>GLOSSY - DOUBLE-SIDED</b>								
Sappi	Opus Gloss	n/a	-	Letter	80 lb. Text (118 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Domtar	Microprint	n/a	Coated Laser Gloss	Letter	32 lb. Bond (118 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated Two Sided	Letter	90 lb. Text (133 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
LaserCast	LaserCast 95	n/a	Double-Sided Glossy	Letter	95 lb. Text (144 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Sappi	Opus Gloss Cover	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Domtar	Microprint	n/a	Coated Laser Gloss Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote plus C2S Cover	n/a	-	Letter	90 lb. Cover (237 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated Two Sided 10 pt. Cover	Letter	10 pt. Cover (234 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White 100C	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C452/C552/C552DS/C652/C652DS

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>LABELS</b>								
Avery	Color Printing Labels	n/a	6870 30 labels per sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6873 8 labels per sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6876 2 labels per sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6878 4 labels per sheet	Letter	-	Bypass	Thick 1	No
<b>ENVELOPES</b>								
Litho & Paper Corp.	Argo Envelope	n/a	Preservation Wove 57859	11" x 6.75"	24 lb.	Bypass	Envelope	No
<b>SPECIALTY PAPER</b>								
Techni-Print**	Photo T-Shirt Transfer	n/a	9721PO	Letter	-	Bypass	Thick 2	No
<b>BANNER PAPER</b>								
Konica Minolta	Banner Paper	76400 02409	Plain Paper 200 sheets	11.75" x 47.25"	100 lb. Text (180 g/m <sup>2</sup> )	Bypass	Banner Mode / Thick 1	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* T-Shirt Transfer Paper should not be solely used in the copier and should only be used on a limited basis (250 sheets per run maximum). Also, pay particular attention if a misfeed occurs in the fuser section of the copier. It should be removed immediately (due to odor) and then 15-25 sheets of regular (20 lb. bond) paper should be run to clean the fusing rollers. Also this media cannot be used in high humidity environments.

# Recommended Media and Specifications Color MFPs

## Media Type Specification: bizhub C452/C552/C552DS/C652/C652DS

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	TRAY 3	TRAY 4	MULTIPLE BYPASS	AUTO DUPLEX**
Plain Paper	64-90 g/m <sup>2</sup>	500 sheets	500 sheets	1,500 sheets	1,000 sheets	150 sheets	Yes
OHP Film Transparency	-	-	-	-	-	20 sheets*	No
Thick Paper 1	91-120 g/m <sup>2</sup>	400 sheets	400 sheets	1,150 sheets	750 sheets	100 sheets	Yes
Thick Paper 1+	121-157 g/m <sup>2</sup>	280 sheets	280 sheets	800 sheets	500 sheets	80 sheets	
Thick Paper 2	158-209 g/m <sup>2</sup>	250 sheets	250 sheets	700 sheets	450 sheets	70 sheets	
Thick Paper 3	210-256 g/m <sup>2</sup>	200 sheets	200 sheets	600 sheets	400 sheets	60 sheets	
Thick Paper 4	257-300 g/m <sup>2</sup>	-	-	-	-	50 sheets	No
Postcards	-	-	-	200 sheets	200 sheets	50 sheets	
Envelopes	-	-	-	-	-	10 sheets	
Labels	-	-	-	-	-	50 sheets	
Banner Paper	127-210 g/m <sup>2</sup>	-	-	-	-	1 sheet	

### LU-204 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LARGE-CAPACITY TRAY	AUTO DUPLEX**
Plain Paper	60-90 g/m <sup>2</sup>	2,500 sheets	Yes
Thick Paper 1	91-120 g/m <sup>2</sup>	2,000 sheets	
Thick Paper 1+	121-157 g/m <sup>2</sup>	1,450 sheets	
Thick Paper 2	158-209 g/m <sup>2</sup>	1,250 sheets	
Thick Paper 3	210-256 g/m <sup>2</sup>	1,000 sheets	

### LU-301 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LARGE-CAPACITY TRAY	AUTO DUPLEX**
Plain Paper	64-90 g/m <sup>2</sup>	3,000 sheets	Yes
Thick Paper 1	91-120 g/m <sup>2</sup>	2,500 sheets	
Thick Paper 1+	121-157 g/m <sup>2</sup>	1,750 sheets	
Thick Paper 2	158-209 g/m <sup>2</sup>	1,550 sheets	
Thick Paper 3	210-256 g/m <sup>2</sup>	1,300 sheets	

\* Monochrome print only.

\*\* For Auto Duplex, only plain paper weighing 64-90 g/m<sup>2</sup> or thick paper weighing 91-256 g/m<sup>2</sup> are reliably fed.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C654e/C654/C754e/C754

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
Konica Minolta	CF Paper	8918315	Plain Paper 2500 sheets	Letter	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918314	Plain Paper 1500 sheets	Ledger	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918309	Plain Paper 1500 sheets	12" x 18"	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	Recycled Copy	n/a	30% Post Consumer	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
Domtar	Microprint Laser	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	Color Copy	n/a	-	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill Laser Print	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
International Paper	Hammermill Tidal MP	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
International Paper	Hammermill Color Copy	n/a	-	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
New Radiant	White 90	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>GLOSSY - SINGLE-SIDED</b>								
Lasercast	-	n/a	95 Single Side Glossy	Letter	95 lb. Text (144 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Lasercast	-	n/a	125 Single Side Glossy	Letter	125 lb. Text (184 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 10 pt Cover	Letter	10 pt. Cover (219 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 12 pt Cover	Letter	12 pt. Cover (247 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
<b>GLOSSY - DOUBLE-SIDED</b>								
Domtar	Microprint	n/a	Coated Laser Gloss	Letter	32 lb. Bond (118 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Domtar	Microprint	n/a	Coated Laser Gloss Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White 100C	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C654e/C654/C754e/C754

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>GLOSSY - DOUBLE-SIDED (CONTINUED)</b>								
Sappi	Opus Gloss	n/a	-	Letter	80 lb. Bond (118 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Sappi	Opus Gloss Cover	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	-	Letter	90 lb. Bond (133 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated Two Sides 10 pt Cover	Letter	10 pt. Cover (234 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Plus 2S Cover	n/a	-	Letter	90 lb. Cover (237 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Lasercast	95 Double-sided Glossy	n/a	-	Letter	95 lb. Text (144 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
<b>COVER STOCK</b>								
Domtar	Microprint	n/a	Coated Laser Gloss Cover	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	Microprint	n/a	Color Copy Cover	Letter	65 lb. Cover (176 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	Microprint	n/a	Color Copy Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Hammermill Color Copy	n/a	Photo White	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill Color Copy Cover	n/a	-	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill Color Copy Cover	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Hammermill Color Copy Cover	n/a	-	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	Yes
Smart Papers	Carnival White Cover	n/a	Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Springhill	Index	n/a	#015545	Letter	140 lb. Cover (255 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Wausau	Exact Index	n/a	-	Letter	140 lb. Cover (255 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color MFPs

## Recommended Media: bizhub C654e/C654/C754e/C754

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>BANNER PAPER</b>								
Konica Minolta	Banner Paper	76400 02409	Plain Paper 200 sheets	11.75" x 47.25"	100 lb. Text (180 g/m <sup>2</sup> )	Bypass	Banner Mode / Thick 1	Yes
<b>LABELS</b>								
Avery	Color Printing Labels	n/a	#6870 30 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6973 8 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6876 2 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6878 4 labels/ sheet	Letter	-	Bypass	Thick 1	No
<b>ENVELOPES</b>								
Preservation	Wove	n/a	Preservation Wove 5789 #6 3/4	3.85" x 6.5"	24 lb.	Bypass	Envelope	No
<b>TAB DIVIDERS</b>								
Avery	Dennison Long Edge	n/a	#20406 long edge	Letter	-	Bypass	Thick 1	No
<b>SPECIALTY</b>								
Techni-Print**	Photo T-Shirt Transfer	n/a	9721PO	Letter	-	Bypass	Thick 2	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* T-Shirt Transfer Paper should not be solely used in the copier and should only be used on a limited basis (250 sheets per run maximum). Also, pay particular attention if a misfeed occurs in the fuser section of the copier. It should be removed immediately (due to odor) and then 15-25 sheets of regular (20 lb. bond) paper should be run to clean the fusing rollers. Also this media cannot be used in high humidity environments.

# Recommended Media and Specifications Color MFPs

## Media Type Specification: bizhub C654e/C654/C754e/C754

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	TRAY 3	TRAY 4	MULTIPLE BYPASS	AUTO DUPLEX
Plain Paper	14-15.5 lb. (50-55 g/m <sup>2</sup> )	500 sheets	500 sheets	1,500 sheets	1,000 sheets	100 sheets	Yes
Recycled Paper	16-20 lb. (60-75 g/m <sup>2</sup> )						
Thick Paper 1	24.25-32 lb. (90-120 g/m <sup>2</sup> )	400 sheets	400 sheets	1,150 sheets	750 sheets		
Thick Paper 2	42-55.5 lb. (158-210 g/m <sup>2</sup> )	250 sheets	250 sheets	700 sheets	450 sheets	70 sheets	
Thick Paper 3	55.75-68 lb. (210-255 g/m <sup>2</sup> )	200 sheets	200 sheets	600 sheets	400 sheets	60 sheets	
Thick Paper 4	68.25-79.75 lb. (256-305 g/m <sup>2</sup> )	-	-	-	-	50 sheets	
Envelopes	-	-	-	-	-	10 sheets	No
Banner Paper	34-55.5 lb. (130-210 g/m <sup>2</sup> )	-	-	-	-		
Postcards	-	-	-	200 sheets	200 sheets		
Labels	-	-	-	-	-		

### LU-310 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 5	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	3,000 sheets	Yes
Thick Paper 1	24.25-32 lb. (90-120 g/m <sup>2</sup> )	2,500 sheets	
Thick Paper 1+	32.25-41.75 lb. (120-155 g/m <sup>2</sup> )	1,750 sheets	
Thick Paper 2	42-55.5 lb. (158-210 g/m <sup>2</sup> )	1,550 sheets	
Thick Paper 3	55.75-68 lb. (210-255 g/m <sup>2</sup> )	1,300 sheets	

### LU-204 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 5	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	2,500 sheets	Yes
Thick Paper 1	24.25-32 lb. (90-120 g/m <sup>2</sup> )	2,000 sheets	
Thick Paper 1+	32.25-41.75 lb. (120-155 g/m <sup>2</sup> )	1,450 sheets	
Thick Paper 2	42-55.5 lb. (158-210 g/m <sup>2</sup> )	1,250 sheets	
Thick Paper 3	55.75-68 lb. (210-255 g/m <sup>2</sup> )	1,000 sheets	





# Recommended Media and Specifications Color Printers

## Recommended Media: bizhub C10/X

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
Impact	Copy Paper	n/a	92 Bright 68117	Letter	75 g/m <sup>2</sup>	Multipurpose	Paper	Yes
Impact	Copy Paper	n/a	92 Bright 44001	Legal	75 g/m <sup>2</sup>	Multipurpose	Paper	Yes
Staples	Multiuse	n/a	96 Bright 513099	Letter	75 g/m <sup>2</sup>	Multipurpose	Paper	Yes
International Paper	Hammermill Fore MP	n/a	White 10329-1	Legal	75 g/m <sup>2</sup>	Multipurpose	Paper	Yes
International Paper	Hammermill Laser Print	n/a	96 Bright 10460-4	Letter	90 g/m <sup>2</sup>	Multipurpose	Paper	Yes
International Paper	Hammermill Laser Print	n/a	94 Bright 10461-2	Legal	90 g/m <sup>2</sup>	Multipurpose	Paper	Yes
<b>RECYCLED</b>								
Office Depot	EnviroCopy	n/a	104 Bright 563-024	Letter	75 g/m <sup>2</sup>	Multipurpose	Recycled	Yes
Staples	Print Paper	n/a	97 Bright 554638	Letter	90 g/m <sup>2</sup>	Multipurpose	Recycled	Yes
Office Max	Copy Paper	n/a	92 Bright OM55957	Letter	20 lb.	Multipurpose	Recycled	Yes
<b>TRANSPARENCY</b>								
3M	Color Laser	n/a	CG3700 9488-4	Letter	5 mil	Multipurpose	Trans.	No
<b>THICK STOCK 1</b>								
International Paper	Hammermill Color Copy	n/a	98 Bright 10246-7	Letter	105 g/m <sup>2</sup>	Multipurpose	Thick	Yes
Wausau	Bright White	n/a	96 Bright 92906	Letter	105 g/m <sup>2</sup>	Multipurpose	Thick	Yes
Staples	Color Laser	n/a	97 Bright 633213	Letter	120 g/m <sup>2</sup>	Multipurpose	Thick	Yes
International Paper	Hammermill Color Copy	n/a	Photo White 02254-9	Letter	163 g/m <sup>2</sup>	Multipurpose	Thick	Yes
International Paper	Hammermill Color Copy	n/a	98 Bright 12254-9	Letter	163 g/m <sup>2</sup>	Multipurpose	Thick	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color Printers

## Recommended Media: bizhub C10/X

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>GLOSSY</b>								
International Paper	Hammermill Color Laser	n/a	90 Bright 16311-0	Letter	120 g/m <sup>2</sup>	Multipurpose	Glossy	Yes
Staples	Gloss White	n/a	96 Bright 633215	Letter	120 g/m <sup>2</sup>	Multipurpose	Glossy	Yes
<b>ENVELOPES</b>								
Staples	Envelopes	n/a	Security 200519	#10	24 lb.	Multipurpose	Envelope	No
Staples	Envelopes	n/a	Business 187013	#10	24 lb.	Multipurpose	Envelope	No
Office Depot	Envelopes	n/a	Business 633-888	#10	24 lb.	Multipurpose	Envelope	No
Office Depot	Envelopes	n/a	Security 633-896	#10	24 lb.	Multipurpose	Envelope	No
Office Max	Envelopes	n/a	Business OM98125	#10	24 lb.	Multipurpose	Envelope	No
Office Max	Envelopes	n/a	Business OM98123	#10	24 lb.	Multipurpose	Envelope	No
<b>OTHER</b>								
PPG	Teslin	n/a	Synthetic SPID1400	A4	14 mils	Multipurpose	Thick	Yes
PPG	Teslin	n/a	Synthetic SP1000	Letter	10 mils	Multipurpose	Thick	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

## Media Type Specification: bizhub C10/X

### STANDARD AND OPTIONAL TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	MULTIPURPOSE TRAY		OPTIONAL CASSETTE		AUTO DUPLEX	ADF (60-128 G/M <sup>2</sup> )
		SUPPORTED	CAPACITY	SUPPORTED	CAPACITY		
Plain Paper	60-90 g/m <sup>2</sup>	Yes	200 sheets	Yes	500 sheets	Yes	Yes
Recycled	60-90 g/m <sup>2</sup>	Yes	200 sheets	Yes	500 sheets	Yes	Yes
Transparency	4.5-5 mils	Yes	50 sheets	No	-	No	No
Letterhead	60-90 g/m <sup>2</sup>	Yes	50 sheets	No	-	Yes	Yes
Envelopes	91-163 g/m <sup>2</sup>	Yes	10 sheets	No	-	No	No
Labels	60-163 g/m <sup>2</sup>	Yes	50 sheets	No	-	No	No
Thick Paper	91-163 g/m <sup>2</sup>	Yes	50 sheets	No	-	No	No
Glossy	60-90 g/m <sup>2</sup>	Yes	50 sheets	No	-	No	No

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 1600W/1650EN/1680MF/1690MF

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #**	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR COLOR OUTPUT</b>								
Domtar	Microprint Laser 1000	n/a	94 Bright	Letter	90 g/m <sup>2</sup>	Any Tray	Plain Paper	Yes
<b>PLAIN PAPER FOR MONOCHROME OUTPUT</b>								
International Paper	Hammermill	n/a	Tidal MP	Letter	80 g/m <sup>2</sup>	Any Tray	Plain Paper	Yes
<b>RECYCLED</b>								
	Geo Cycle	n/a	-	Letter	75 g/m <sup>2</sup>	Any Tray	Plain Paper	Yes
<b>LETTERHEAD</b>								
Neenah	Bond	n/a	02700	Letter	90 g/m <sup>2</sup>	Any Tray	Plain Paper	Yes
<b>THICK STOCK</b>								
International Paper	Springhill Index PLUS	n/a	-	Letter	75 g/m <sup>2</sup>	Multipurpose	Thick 1	Yes
Canon	NS1000C	n/a	-	Letter	209 g/m <sup>2</sup>	Multipurpose	Thick 2	Yes
<b>LABELS</b>								
Avery	Laser	n/a	Mailing Labels 5260	Letter	-	Multipurpose	Labels	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

## Media Type Specification: magicolor 1600W/1650EN/1680MF/1690MF

### TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	MULTIPURPOSE TRAY		OPTIONAL CASSETTE*		AUTO DUPLEX
		SUPPORTED	CAPACITY	SUPPORTED	CAPACITY	
Plain Paper	60-90 g/m <sup>2</sup>	Yes	200 sheets	Yes	500 sheets	Yes
Recycled	60-90 g/m <sup>2</sup>	Yes	200 sheets	Yes	500 sheets	Yes
Letterhead	60-90 g/m <sup>2</sup>	Yes	50 sheets	No	-	Yes
Thick Paper 1	91-163 g/m <sup>2</sup>	Yes	50 sheets	No	-	No
Thick Paper 2	164-209 g/m <sup>2</sup>	Yes	50 sheets	No	-	No
Envelopes**	-	Yes	10 sheets	No	-	No
Labels**	-	Yes	50 sheets	No	-	No
Postcard	60-163 g/m <sup>2</sup>	Yes	50 sheets	No	-	No

\* Available with magicolor 1650EN and magicolor 1690MF models only.

\*\* Must be certified for laser printers and capable of withstanding fusing temperatures of 401° F (205° C).

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 3730DN/bizhub C25

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR COLOR OUTPUT</b>								
Domtar	Microprint Laser	n/a	-	Letter	24 lb. (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>PLAIN PAPER FOR MONOCHROME OUTPUT</b>								
Xerox	Xerox 4200	n/a	-	Letter	20 lb. (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>THICK STOCK</b>								
Canon	NS-1000	n/a	-	Letter	41 lb. (157 g/m <sup>2</sup> )	Any Tray, Bypass	Thick	Yes
Canon	NS-1000	n/a	-	Letter	55 lb. (209 g/m <sup>2</sup> )	Any Tray, Bypass	Thick	Yes
<b>RECYCLED FOR MONOCHROME OUTPUT</b>								
International Paper	Hammermill Bond	n/a	-	Letter	20 lb. (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>GLOSSY</b>								
POD	Glossy Coat	n/a	-	Letter	34 lb. (128 g/m <sup>2</sup> )	Any Tray, Bypass	Thick	Yes
<b>ENVELOPES</b>								
Open End	Open End	n/a	-	105x240 mm	-	Bypass	Envelope	No
Eramus	Eramus	n/a	-	110x220 mm	-	Bypass	Envelope	No
Eramus	Eramus	n/a	-	114x162 mm	-	Bypass	Envelope	No
Kentwove	Monarch	n/a	-	98x190 mm	-	Bypass	Envelope	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 4650EN/DN, 4690MF/4695MF, bizhub C20P/X, bizhub C20/X

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR COLOR OUTPUT</b>								
Konica Minolta	CF Paper	8918315	Plain Paper 2500 sheets	Letter	22 lb. Bond (80 g/m <sup>2</sup> )	Multipurpose, Any Tray	Plain Paper	Yes
Konica Minolta	CF Paper	8918321	Plain Paper 2000 sheets	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Multipurpose, Any Tray	Thick 1	Yes
Domtar	Microprint Laser 1000	n/a	94 Bright	Letter	90 g/m <sup>2</sup>	Multipurpose, Any Tray	Plain Paper	Yes
<b>PLAIN PAPER FOR MONOCHROME OUTPUT</b>								
Xerox	4024 DP	n/a	3R727	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Multipurpose, Any Tray	Plain Paper	Yes
<b>TRANSPARENCY</b>								
3M	Color Laser	n/a	CG3700 9488-4	Letter	5 mil	Multipurpose	Trans.	No
<b>LABELS</b>								
Avery	Mailing Labels	n/a	5160	Letter	-	Multipurpose	Label	No
<b>THICK STOCK 2</b>								
Canon	NS700	n/a	Matte Paper	Letter	157 g/m <sup>2</sup>	Multipurpose	Thick 2	No
Canon	NS1000	n/a	Matte Paper	Letter	209 g/m <sup>2</sup>	Multipurpose	Thick 2	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

## Media Type Specification: magicolor 4650EN/DN, 4690MF/4695MF, bizhub C20P/X, bizhub C20/X

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	AUTO DUPLEX*
Plain Paper	60-90 g/m <sup>2</sup>	100 sheets	250 sheets	Yes
Thick Paper 1	91-150 g/m <sup>2</sup>	20 sheets	-	
Thick Paper 2	151-210 g/m <sup>2</sup>			
Labels	-			
Letterhead	-			
OHP Film Transparency	-			
Glossy 1	100-128 g/m <sup>2</sup>			
Glossy 2	129-158 g/m <sup>2</sup>			
Postcard	-	10 sheets		No
Envelope	-			

\* Only if duplex option is installed.

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 4750EN/DN, bizhub C35P

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DU- PLEX
<b>PLAIN PAPER FOR COLOR OUTPUT</b>								
Georgia Pacific	Microprint Laser 1000	n/a	-	Letter	24 lb. (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>PLAIN PAPER FOR MONOCHROME OUTPUT</b>								
Xerox	Xerox 4200	n/a	-	Letter	20 lb. (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>THICK STOCK</b>								
Canon	NS-1000	n/a	-	Letter	41 lb. (157 g/m <sup>2</sup> )	Any Tray, Bypass	Thick	Yes
Canon	NS-1000	n/a	-	Letter	55 lb. (209 g/m <sup>2</sup> )	Any Tray, Bypass	Thick	Yes
<b>RECYCLED PAPER</b>								
International Paper	Hammermill Bond	n/a	-	Letter	20 lb. (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>GLOSSY</b>								
POD	Glossy Coat	n/a	-	Letter	34 lb. (128 g/m <sup>2</sup> )	Any Tray, Bypass	Thick	Yes
<b>ENVELOPES</b>								
Open End	Open End	n/a	OE1024911	C10 (105x240 mm)	-	Bypass	Envelope	No
Eramus	Eramus	n/a	702.383	DL 90 g/m <sup>2</sup> (110x220 mm)	-	Bypass	Envelope	No
Eramus	Eramus	n/a	701.646	C6 90 g/m <sup>2</sup> (114x162 mm)	-	Bypass	Envelope	No
Kentwove	Kentwove	n/a	43539	Monarch (98x190 mm)	-	Bypass	Envelope	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color Printers

## Media Type Specification: magicolor 4750EN/DN, bizhub C35P

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	BYPASS	AUTO DUPLEX
Plain Paper	14-15.5 lb. (55-60 g/m <sup>2</sup> )	250 sheets	100 sheets	Yes
Thick Paper 1	24.25-40 lb. (90-150 g/m <sup>2</sup> )			
Envelopes	-	-	Yes	No

### OPTIONAL TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 3	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	500 sheets	Yes



# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 5500/5600 Series, bizhub C30P/X, bizhub C31P/X

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
Office Depot	EnviroCopy	n/a	104 Bright 563-024	Letter	75 g/m <sup>2</sup>	All	Recycled	Yes
Impact	Copy Paper	n/a	92 Bright 68117	Letter	75 g/m <sup>2</sup>	All	Paper	Yes
Staples	Multiuse	n/a	96 Bright 513099	Letter	75 g/m <sup>2</sup>	All	Paper	Yes
International Paper	Hammermill Premium Laser	n/a	94 Bright 16600-0	Letter	90 g/m <sup>2</sup>	All	Paper	Yes
Staples	Printing Paper	n/a	97 Bright 554638	Letter	90 g/m <sup>2</sup>	All	Recycled	Yes
International Paper	Hammermill Laser Print	n/a	96 bright 10460-4	Letter	90 g/m <sup>2</sup>	All	Paper	Yes
Konica Minolta	CF Paper	8918315	Plain Paper 2500 sheets	Letter	22 lb. Bond (80 g/m <sup>2</sup> )	All	Paper	Yes
Domtar	Microprint Laser 1000	n/a	94 Bright	Letter	90 g/m <sup>2</sup>	All	Paper	Yes
<b>TRANSPARENCY</b>								
3M	Color Laser	n/a	CG3700 9488-4	Letter	5 mil	Multipurpose	Trans.	No
3M	Copiers	n/a	PP2500 9497-5	Letter	4.5 mil	Multipurpose	Trans.	No
<b>LABELS</b>								
Avery	Laser	n/a	Mailing Labels 5260	Letter	0.16 mm	Multipurpose	Label	No
Office Depot	Laser	n/a	Shipping Label 612-051	Letter	0.17 mm	Multipurpose	Label	No
Office Depot	Laser	n/a	Return Labels 612-051	Letter	0.17 mm	Multipurpose	Label	No
<b>THICK STOCK 1</b>								
International Paper	Hammermill Color Copy	n/a	98 Bright 10246-7	Letter	105 g/m <sup>2</sup>	Multipurpose	Thick 1	No
Wausau	Bright White	n/a	96 Bright 92906	Letter	105 g/m <sup>2</sup>	Multipurpose	Thick 1	No
Staples	Color Laser	n/a	97 Bright 633213	Letter	120 g/m <sup>2</sup>	Multipurpose	Thick 1	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 5500/5600 Series, bizhub C30P/X, bizhub C31P/X

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>THICK STOCK 2</b>								
International Paper	Hammermill Color Copy	n/a	Photo White 02254-9	Letter	163 g/m <sup>2</sup>	Multipurpose	Thick 2	No
International Paper	Hammermill Color Copy	n/a	98 Bright 12254-9	Letter	163 g/m <sup>2</sup>	Multipurpose	Thick 2	No
Wausau	Card Stock	n/a	92 Bright 49108	Letter	165 g/m <sup>2</sup>	Multipurpose	Thick 2	No
Wausau	Card Stock	n/a	96 Bright 90901	Letter	176 g/m <sup>2</sup>	Multipurpose	Thick 2	No
International Paper	Hammermill Color Copy	n/a	White 18634-0	Letter	200 g/m <sup>2</sup>	Multipurpose	Thick 2	No
Wausau	Exact Index	n/a	Card Stock 49598	Letter	200 g/m <sup>2</sup>	Multipurpose	Thick 2	No
Canon	NS700	n/a	Matte Paper	Letter	157 g/m <sup>2</sup>	Multipurpose	Thick 2	No
Canon	NS1000	n/a	Matte Paper	Letter	209 g/m <sup>2</sup>	Multipurpose	Thick 2	No
<b>ENVELOPES</b>								
Office Max	Envelopes	n/a	Business OM98123	#10	24 lb.	Multipurpose	Envelope	No
Office Max	Envelopes	n/a	Security OM98122	#10	24 lb.	Multipurpose	Envelope	No
Office Max	Envelopes	n/a	Business OM98121	3.6" x 6.5"	24 lb.	Multipurpose	Envelope	No
Office Max	Envelopes	n/a	Security OM98120	3.6" x 6.5"	24 lb.	Multipurpose	Envelope	No
Staples	Envelopes	n/a	Business 187013	#10	24 lb.	Multipurpose	Envelope	No
Staples	Envelopes	n/a	Security 200519	#10	24 lb.	Multipurpose	Envelope	No
Office Depot	Envelopes	n/a	Business 633-888	#10	24 lb.	Multipurpose	Envelope	No
Office Depot	Envelopes	n/a	Security 633-896	#10	24 lb.	Multipurpose	Envelope	No
Quality Park	Envelopes	n/a	QUA 90008	#10	24 lb.	Multipurpose	Envelope	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 5500/5600 Series, bizhub C30P/X, bizhub C31P/X

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>GLOSSY STOCK</b>								
International Paper	Hammermill Color Laser	n/a	Gloss 16311-0	Letter	120 g/m <sup>2</sup>	Multipurpose	Glossy	No
Staples	Color Laser	n/a	Gloss White 633215	Letter	120 g/m <sup>2</sup>	Multipurpose	Glossy	No
International Paper	Hammermill Business Gloss	n/a	92 Bright 16302-0	Letter	120 g/m <sup>2</sup>	Multipurpose	Glossy	No
<b>BANNER PAPER</b>								
Konica Minolta	Q-Media	1710637-001	Banner	8.5" x 40"	65 lb. Cover (176 g/m <sup>2</sup> )	Multipurpose	Thick 2	No
<b>OTHER</b>								
PPG	Teslin	n/a	SP1200	A4	0.33 mm	Multipurpose	Thick 2	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

## Media Type Specification: magicolor 5500/5600 Series, bizhub C30P/X, bizhub C31P/X

### STANDARD AND OPTIONAL TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	STANDARD CASSETTE		MULTIPURPOSE / MANUAL TRAY		OPTIONAL CASSETTE		AUTO DUPLEX
		SUPPORTED	CAPACITY	SUPPORTED	CAPACITY	SUPPORTED	CAPACITY	
Plain Paper	60-90 g/m <sup>2</sup>	Yes	500 sheets	Yes	100 sheets	Yes	500 sheets	Yes
Recycled	60-90 g/m <sup>2</sup>	Yes	500 sheets	Yes	100 sheets	Yes	500 sheets	Yes
Transparency	4.5-5 mils	No	-	Yes	20 sheets	No	-	No
Letterhead	60-90 g/m <sup>2</sup>	No	-	Yes	20 sheets	No	-	No
Envelopes	60-90 g/m <sup>2</sup>	No	-	Yes	10 sheets	No	-	No
Labels	60-90 g/m <sup>2</sup>	No	-	Yes	20 sheets	No	-	No
Thick Paper 1	91-150 g/m <sup>2</sup>	No	-	Yes	20 sheets	No	-	No
Thick Paper 2	151-210 g/m <sup>2</sup>	No	-	Yes	20 sheets	No	-	No
Japanese Postcard	91-210 g/m <sup>2</sup>	No	-	Yes	20 sheets	No	-	No
Glossy 1 & 2	90-210 g/m <sup>2</sup>	No	-	Yes	20 sheets	No	-	No
Banner Paper	60-210 g/m <sup>2</sup>	No	-	Yes	1 sheet	No	-	No

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 7450/7450 grafx/7450 II/7450 II grafx

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
Office Depot	EnviroCopy	n/a	104 Bright 563-024	Letter	75 g/m <sup>2</sup>	All	Recycled	Yes
Impact	Copy Paper	n/a	92 Bright 68117	Letter	75 g/m <sup>2</sup>	All	Paper	Yes
Staples	Multiuse	n/a	96 Bright 513099	Letter	75 g/m <sup>2</sup>	All	Paper	Yes
International Paper	Hammermill Premium Laser	n/a	94 Bright 16600-0	Letter	90 g/m <sup>2</sup>	All	Paper	Yes
Staples	Printing Paper	n/a	97 Bright 554638	Letter	90 g/m <sup>2</sup>	All	Recycled	Yes
International Paper	Hammermill Laser Print	n/a	96 bright 10460-4	Letter	90 g/m <sup>2</sup>	All	Paper	Yes
<b>TRANSPARENCY</b>								
3M	Color Laser	n/a	CG3700 9488-4	Letter	5 mil	Multipurpose, Upper Tray	Trans.	No
3M	Copiers	n/a	PP2500 9497-5	Letter	4.5 mil	Multipurpose, Upper Tray	Trans.	No
<b>LABELS</b>								
Avery	Laser	n/a	Mailing Labels 5260	Letter	0.16 mm	Multipurpose, Upper Tray	Label	No
<b>THICK STOCK 1</b>								
International Paper	Hammermill Color Copy	n/a	98 Bright 10246-7	Letter	105 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 1	Yes
Wausau	Bright White	n/a	96 Bright 92906	Letter	105 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 1	Yes
Staples	Color Laser	n/a	97 Bright 633213	Letter	120 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 1	Yes
International Paper	Hammermill Color Copy	n/a	98 Bright 10612-5	12" x 18"	105 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 1	Yes
International Paper	Hammermill Color Copy	n/a	98 Bright 10254-1	11" x 17"	105 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 1	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 7450/7450 grafx/7450 II/7450 II grafx

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>THICK STOCK 2</b>								
International Paper	Hammermill Color Copy	n/a	Photo White 02254-9	Letter	163 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	Yes
International Paper	Hammermill Color Copy	n/a	98 Bright 12254-9	Letter	163 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	Yes
Wausau	Card Stock	n/a	92 Bright 49108	Letter	165 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	Yes
International Paper	Hammermill Color Copy	n/a	98 Bright 12004-0	12" x 18"	163 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	Yes
International Paper	Hammermill Color Copy	n/a	98 Bright 12255-6	11" x 17"	163 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	Yes
Wausau	Card Stock	n/a	96 Bright 90901	Letter	176 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	Yes
International Paper	Hammermill Card Stock	n/a	White 18634-0	Letter	200 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	Yes
Wausau	Exact Index	n/a	Card Stock 49598	Letter	200 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	Yes
Wausau	Card Stock	n/a	92 Bright 49508	Letter	200 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	Yes
<b>THICK STOCK 3</b>								
International Paper	Hammermill Color Copy	n/a	98 Bright 12002-3	Letter	216 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 3	Yes
International Paper	Hammermill Color Copy	n/a	98 Bright 12003-7	11" x 17"	216 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 3	Yes
International Paper	Hammermill Color Copy	n/a	98 Bright 13320-0	12" x 18"	216 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 3	Yes
Wilcox	Titan	n/a	88 Bright C2S	Letter	248 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 3	Yes
<b>ENVELOPES</b>								
Office Max	Envelopes	n/a	Business OM98123	#10	24 lb.	Multipurpose	Envelope	No
Office Max	Envelopes	n/a	Security OM98122	#10	24 lb.	Multipurpose	Envelope	No
Office Max	Envelopes	n/a	Business OM98121	3.6" x 6.5"	24 lb.	Multipurpose	Envelope	No
Office Max	Envelopes	n/a	Security OM98120	3.6" x 6.5"	24 lb.	Multipurpose	Envelope	No
Staples	Envelopes	n/a	Business 187013	#10	24 lb.	Multipurpose	Envelope	No
Staples	Envelopes	n/a	Security 200519	#10	24 lb.	Multipurpose	Envelope	No
Office Depot	Envelopes	n/a	Business 633-888	#10	24 lb.	Multipurpose	Envelope	No
Office Depot	Envelopes	n/a	Security 633-896	#10	24 lb.	Multipurpose	Envelope	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 7450/7450 grafx/7450 II/7450 II grafx

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>GLOSSY</b>								
International Paper	Hammermill Color Copy	n/a	90 Bright 16311-0	Letter	120 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 1	Yes
Staples	Gloss White	n/a	96 Bright 633215	Letter	120 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 1	Yes
International Paper	Hammermill Business Gloss	n/a	92 Bright 16302-0	Letter	120 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 1	Yes
Smart Media	Kromekote	n/a	2S Text L285119	Letter	133 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 1	Yes
International Paper	Hammermill Color Copy	n/a	90 Bright 10620-0	Letter	216 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 3	Yes
Smart Media	Kromekote	n/a	2S Cover L285110	Letter	234 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 3	Yes
Mohawk	Color Copy	n/a	96 Bright 36-107	Letter	243 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 3	Yes
Stora Enso	Gusto Gloss	n/a	Cover	Letter	271 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 3	No
Stora Enso	Gusto Gloss	n/a	Cover	11" x 17"	271 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 3	No
<b>BANNER PAPER</b>								
Konica Minolta	Q-Media	1710636-001	Banner 50 sheets	12.25" x 40"	176 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	No
Konica Minolta	Q-Media	1710367-001	Banner 50 sheets	8.5" x 40"	176 g/m <sup>2</sup>	Multipurpose, Upper Tray	Thick 2	No
<b>OTHER</b>								
PPG	Teslin	n/a	SP1200	A4	0.33 mm	Multipurpose, Upper Tray	Thick 3	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color Printers

## Media Type Specification: magicolor 7450/7450 grafx/7450 II/7450 II grafx

### STANDARD AND OPTIONAL TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	MULTIPURPOSE CASSETTE		MULTI MANUAL TRAY		OPTIONAL CASSETTE		AUTO DUPLEX
		SUPPORTED	CAPACITY	SUPPORTED	CAPACITY	SUPPORTED	CAPACITY	
Plain Paper	64-90 g/m <sup>2</sup>	Yes	250 sheets	Yes	100 sheets	Yes	500 sheets	Yes
Recycled	64-90 g/m <sup>2</sup>	Yes	250 sheets	Yes	100 sheets	Yes	500 sheets	Yes
Transparency	5 mils	Yes	50 sheets	Yes	10 sheets	No	-	No
Transparency 2	4.5 mils	Yes	50 sheets	Yes	10 sheets	No	-	No
Letterhead	64-90 g/m <sup>2</sup>	Yes	50 sheets	Yes	10 sheets	No	-	No
Envelopes	-	Yes	10 sheets	Yes	10 sheets	No	-	No
Labels	-	Yes	50 sheets	Yes	10 sheets	No	-	No
Thick Paper 1	91-150 g/m <sup>2</sup>	Yes	50 sheets	Yes	10 sheets	No	-	Yes
Thick Paper 2	151-210 g/m <sup>2</sup>	Yes	50 sheets	Yes	10 sheets	No	-	Yes
Thick Paper 3	211-256 g/m <sup>2</sup>	Yes	10 sheets	Yes	10 sheets	No	-	Yes
Japanese Postcard	64-90 g/m <sup>2</sup>	Yes	50 sheets	Yes	10 sheets	No	-	No
Glossy	64-90 g/m <sup>2</sup>	Yes	50 sheets	Yes	10 sheets	No	-	No
Banner Paper	127-160 g/m <sup>2</sup>	No	-	Yes	10 sheets	No	-	No

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 8650DN

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR COLOR OUTPUT</b>								
Konica Minolta	CF Paper	8918308	Plain Paper 1000 sheets	12" x 18"	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Konica Minolta	CF Paper	8918320	Plain Paper 1000 sheets	11" x 17"	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Konica Minolta	CF Paper	8918321	Plain Paper 2000 sheets	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Konica Minolta	CF Paper	8918309	Plain Paper 1500 sheets	12" x 18"	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918314	Plain Paper 1500 sheets	11" x 17"	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918315	Plain Paper 2500 sheets	Letter	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
International Paper	Hammermill	n/a	Color Copy Photo White	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill	n/a	Color Copy	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill	n/a	Color Copy Cover	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill	n/a	Color Copy Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Hammermill	n/a	Color Copy Cover	Letter	100 lb. Cover (271 g/m <sup>2</sup> )	Bypass	Thick 4	No
Domtar	Recycled Husky Xerocopy	n/a	30% Post Consumer	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Smart Papers	Carnival Stellar White	n/a	-	Letter	24 lb. Bond (89 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Smart Papers	Carnival White	n/a	-	Letter	24 lb. Bond (89 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Smart Papers	Synergy Bond 25% Cotton	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Mohawk Fine Papers Inc.	Color Copy	n/a	98 Bright White	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.



# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 8650DN

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER FOR MONOCHROME OUTPUT</b>								
International Paper	Hammermill	n/a	Tidal MP	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>GLOSSY - SINGLE-SIDED</b>								
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 10 pt Cover	Letter	10 pt. Cover (219 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 12 pt Cover	Letter	12 pt. Cover (247 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
<b>GLOSSY - DOUBLE-SIDED</b>								
Sappi	Opus Gloss	n/a	-	Letter	80 lb. Text (118 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Sappi	Opus Gloss Cover	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote plus C2S Cover	n/a	-	Letter	90 lb. Cover (237 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated Two Sides 10 pt Cover	Letter	10 pt. Cover (234 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers**	Kromekote Laser High Gloss	n/a	Coated Two Sides	Letter	90 lb. Text (133 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White 100C	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* Smart Papers Kromekote Laser High Gloss 90 lb. Text (133 g/m<sup>2</sup>) cannot be used in high humidity environments.

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 8650DN

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>COVER STOCK</b>								
Smart Papers	Carnival White Cover	n/a	Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Wausau Paper	Exact Index	n/a	-	Letter	140 lb. Cover (255 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	No
<b>ENVELOPES</b>								
For the future	Envelope	n/a	Preservation Wove 5789	11" x 6.75"	24 lb.	Bypass	Envelope	No
<b>BANNER PAPER</b>								
Konica Minolta	Banner Paper	76400 02409	Plain Paper 200 sheets	11.75" x 47.24"	100 lb. Text (180 g/m <sup>2</sup> )	Bypass	Banner Mode / Thick 1	No
<b>LABELS</b>								
Avery	4" x 6" Postcard	n/a	5889	Letter	-	Any Tray, Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6870 30 labels per sheet	Letter	-	Any Tray, Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6873 8 labels per sheet	Letter	-	Any Tray, Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6876 2 labels per sheet	Letter	-	Any Tray, Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6878 4 labels per sheet	Letter	-	Any Tray, Bypass	Thick 1	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications Color Printers

## Recommended Media: magicolor 8650DN

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>SPECIALTY PAPER</b>								
Techni-Print**	Photo T-Shirt Transfer	n/a	9721PO-8511	Letter	-	Any Tray, Bypass	Thick 2	No
<b>TRANSPARENCY</b>								
3M	Color Laser	n/a	CG3700 9488-4	Letter	5 mil	Bypass	OHP	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* This paper should not be solely used in the printer and should only be used on a limited basis (250 sheets per run maximum). Also, pay particular attention if a misfeed occurs in the fuser section of the printer. It should be removed immediately (due to odor) and then 15-25 sheets of regular (20 lb. bond) paper should be run to clean the fusing rollers. Also, it cannot be used in high-humidity environments.

# Recommended Media and Specifications Color Printers

## Media Type Specification: magicolor 8650DN

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 2	TRAY 3	TRAY 1 (BYPASS)	AUTO DUPLEX**
Plain Paper	60-90 g/m <sup>2</sup>	500 sheets	500 sheets	150 sheets	Yes
OHP Film Transparency	-	-	-	20 sheets*	No
Thick Paper 1	91-150 g/m <sup>2</sup>	150 sheets	150 sheets		Yes
Thick Paper 2	151-209 g/m <sup>2</sup>				
Thick Paper 3	210-256 g/m <sup>2</sup>				
Thick Paper 4	257-271 g/m <sup>2</sup>	-	-	No	
Postcards	-	-	-		
Envelopes	-	-	-		10 sheets
Labels	-	-	-		20 sheets
Banner Paper	127-210 g/m <sup>2</sup>	-	-		10 sheets

### PC-104/204 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 4	TRAY 5	AUTO DUPLEX**
Plain Paper	60-90 g/m <sup>2</sup>	500 sheets	500 sheets	Yes
Thick Paper 1	91-150 g/m <sup>2</sup>	150 sheets	150 sheets	
Thick Paper 2	151-209 g/m <sup>2</sup>			
Thick Paper 3	210-256 g/m <sup>2</sup>			

### PC-405 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LCT TRAY	AUTO DUPLEX**
Plain Paper	60-90 g/m <sup>2</sup>	2,500 sheets	Yes
Thick Paper 1	91-150 g/m <sup>2</sup>	1,000 sheets	
Thick Paper 2	151-209 g/m <sup>2</sup>		
Thick Paper 3	210-256 g/m <sup>2</sup>		

\* Monochrome print only.

\*\* For Auto Duplex, only plain paper weighing 64-90 g/m<sup>2</sup> or thick paper weighing 91-256 g/m<sup>2</sup> are reliably fed.



# Recommended Media and Specifications B&W MFPs

## Recommended Media: bizhub 36/42

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #**	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Tidal MP	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>RECYCLED</b>								
Domtar	Recycled Husky	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
Domtar	Xerocopy with 30% consumer copy	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
<b>TRANSPARENCY</b>								
3M	Transparency	n/a	PP2500	Letter	-	Bypass	Transparency	No
<b>ENVELOPES</b>								
Preservation	Wove	n/a	-	3.85" x 6.46"	24 lb.	Bypass	Envelope	No
<b>THICK PAPER</b>								
International Paper	Hammermill Color Copy	n/a	-	Letter	32 lb. Cover (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick	Yes
International Paper	Hammermill Color Copy	n/a	-	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick	Yes
International Paper	Hammermill Color Copy	n/a	-	Letter	80 lb. Cover** (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* Image quality standards not guaranteed.

# Recommended Media and Specifications B&W MFPs

## Media Type Specification: bizhub 36/42

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1 MULTIPLE BYPASS	TRAY 2	TRAY 3	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	150 sheets	150 sheets	500 sheets	Yes
Thick Paper 1	24.25-40 lb. (90-150 g/m <sup>2</sup> )	Up to 20 sheets	Not Supported	Not Supported	No
Thick Paper 2	41-55.75 lb. (150-210 g/m <sup>2</sup> )				
Labels					
OHP Film	-				
Transparency	-				
Envelopes		Up to 10 envelopes			

### PC-211 SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 4	TRAY 5	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	500 sheets	500 sheets	Yes

# Recommended Media and Specifications B&W MFPs

## Recommended Media: bizhub 215

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Tidal MP	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>RECYCLED</b>								
Domtar	Recycled 30% Consumer	n/a	-	Letter	75 g/m <sup>2</sup>	Any Tray, Bypass	Plain Paper	Yes
<b>TRANSPARENCY</b>								
3M	Transparency	n/a	PP2500	Letter	-	Any Tray, Bypass	Plain Paper	No
<b>ENVELOPE</b>								
Preservation	Wove	n/a	-	98 x 165 mm	24 lb.	Bypass	Envelope	No
<b>THICK PAPER</b>								
International Paper	Hammermill Color Copy	n/a	-	Letter	32 lb.	Any Tray, Bypass	Thick	No
International Paper	Hammermill Color Copy	n/a	-	Letter	60 lb.	Any Tray, Bypass	Thick	No
International Paper	Hammermill Color Copy	n/a	-	Letter	80 lb.	Any Tray, Bypass	Thick	No
International Paper	Hammermill Color Copy	n/a	-	Letter	100 lb.	Any Tray, Bypass	Thick	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

## Media Type Specification: bizhub 215

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	AUTO DUPLEX
Plain Paper	17-24 lb. (64-90 g/m <sup>2</sup> )	250 sheets	Yes

### OPTIONAL TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 2	TRAY 3	TRAY 4	TRAY 5	BYPASS	AUTO DUPLEX
Plain Paper	17-24 lb. (64-90 g/m <sup>2</sup> )	250 sheets	250 sheets	250 sheets	250 sheets	100 sheets	Yes
Thick Paper 1	25-32 lb. (91-120 g/m <sup>2</sup> )					20 sheets	No
Thick Paper 2	32-41 lb. (121-157 g/m <sup>2</sup> )					20 sheets	No



# Recommended Media and Specifications B&W MFPs

## Recommended Media: bizhub 223/283/363/423

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #**	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Tidal MP	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>RECYCLED</b>								
Domtar	Recycled Husky	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
Domtar	Xerocopy with 30% consumer copy	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
<b>TRANSPARENCY</b>								
3M	Transparency	n/a	PP2500	Letter	-	Bypass	Transparency	No
<b>ENVELOPES</b>								
Preservation	Wove	n/a	-	3.85" x 6.46"	24 lb.	Bypass	Envelope	Envelope
<b>THICK PAPER</b>								
International Paper	Hammermill Color Copy	n/a	-	Letter	32 lb. Cover (120 g/m <sup>2</sup> )	Bypass	Thick	Yes
International Paper	Hammermill Color Copy	n/a	-	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Bypass	Thick	Yes
International Paper	Hammermill Color Copy	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Bypass	Thick	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications B&W MFPs

## Media Type Specification: bizhub 223/283/363/423

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	MULTIPLE BYPASS	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	500 sheets	500 sheets	150 sheets	Yes
Thick Paper 1	24.25-40 lb. (90-150 g/m <sup>2</sup> )	Not Supported	Not Supported		
Thick Paper 2	41-55.75 lb. (150-210 g/m <sup>2</sup> )				
Labels	-	Not Supported	Not Supported	Yes	No
OHP Film					
Transparency					
Envelopes					

### PC-109 SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 3	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	500 sheets	Yes

### PC-208 SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 3	TRAY 4	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	500 sheets	500 sheets	Yes

### PC-409 SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 3	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	2,500 sheets	Yes

## Recommended Media and Specifications B&W MFPs

### Recommended Media: bizhub 361/421/501

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #**	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Tidal MP	n/a	162008	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>RECYCLED</b>								
International Paper	Hammermill Bond	n/a	118315	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
New Leaf	Encore 100	n/a	100% PCW Recycled Paper / NLPR00001	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
<b>TRANSPARENCY</b>								
3M	Transparency	n/a	CG3700	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Bypass	OHP	No
<b>LABELS**</b>								
Avery	White Mailing Labels	n/a	AVE5352	Letter	-	Bypass	Labels	No
<b>THICK PAPER**</b>								
Fox River Paper Company	Gilbert Color Copy	n/a	-	Letter	43 lb. Bond (163 g/m <sup>2</sup> )	Bypass	Thick Paper	No
<b>THIN PAPER**</b>								
Boise Inc.	Boise X9	n/a	OX9161	Letter	16 lb. Bond (61 g/m <sup>2</sup> )	Bypass	Plain Paper	Yes
<b>ENVELOPE**</b>								
		n/a	Preservation Wove	#C6-3/4, #9, #10 (4-1/8" x 9-1/2")	24 lb. Bond	Bypass	Envelope***	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* Labels, thick paper, thin paper and envelopes can only be fed through the 1st tray or the bypass tray.

\*\*\* Pull up envelope levers under right-hand door of MFP.

# Recommended Media and Specifications B&W MFPs

## Media Type Specification: bizhub 361/421/501

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	MULTIPLE BYPASS	AUTO DUPLEX
Plain Paper	60-105 g/m <sup>2</sup>	Supported	Supported	Supported	Yes
Recycled	60-105 g/m <sup>2</sup>				
Thick Paper	106-210 g/m <sup>2</sup>	Not Supported	Not Supported		No
Thin Paper	50-59 g/m <sup>2</sup>				
Labels*	-				
OHP Film Transparency*	-				
Envelopes	-				

\* Label paper and transparencies are loaded and fed one sheet at a time.

### PC-206 SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 3	TRAY 4	AUTO DUPLEX
Plain Paper	60-105 g/m <sup>2</sup>	Supported	Supported	Yes
Recycled	60-105 g/m <sup>2</sup>	Supported	Supported	Yes

### PC-407 SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LCT TRAY	AUTO DUPLEX
Plain Paper	60-105 g/m <sup>2</sup>	Supported	Yes
Recycled	60-105 g/m <sup>2</sup>	Supported	Yes

### LU-203 SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LCT TRAY	AUTO DUPLEX
Plain Paper	60-105 g/m <sup>2</sup>	Supported	Yes
Recycled	60-105 g/m <sup>2</sup>	Supported	

## Recommended Media and Specifications B&W MFPs

### Recommended Media: bizhub 552/652

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Tidal MP	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>RECYCLED</b>								
Domtar	Recycled Copy	n/a	30% Post Consumer	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
<b>TRANSPARENCY</b>								
3M	Transparency	n/a	PP2500	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Bypass	OHP	No
<b>LABELS</b>								
Avery	White Mailing Labels	n/a	AVE5352	Letter	-	Bypass	Labels	No
Avery	White Mailing Labels	n/a	AVE5160	Letter	-	Bypass	Labels	No
<b>ENVELOPES</b>								
Litho & Paper Corp.	Argo Envelope	n/a	Preservation Wove 57859	11" x 6.75"	24 lb. Bond	Bypass	Envelope	No
<b>BANNER PAPER</b>								
Konica Minolta	Banner Paper	76400 02409	Plain Paper 200 sheets	11.75" x 47.25"	100 lb. Text (180 g/m <sup>2</sup> )	Bypass	Banner Mode /Thick 1	No
<b>THICK PAPER</b>								
International Paper	Hammermill Color Copy	n/a	-	Letter	32 lb. Cover (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	No
International Paper	Hammermill Color Copy	n/a	-	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	No
International Paper	Hammermill Color Copy	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	No
International Paper	Hammermill Color Copy	n/a	-	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications B&W MFPs

## Media Type Specification: bizhub 552/652

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	TRAY 3	TRAY 4	MULTIPLE BYPASS	AUTO DUPLEX**
Plain Paper	17-24 lb. (64-90 g/m <sup>2</sup> )	500 sheets	500 sheets	1,500 sheets	1,000 sheets	150 sheets	Yes
Thick Paper 1	24.25-32 lb. (91-120 g/m <sup>2</sup> )	400 sheets	400 sheets	1,150 sheets	750 sheets	100 sheets	
Thick Paper 1+	32.25-41.75 lb. (121-157 g/m <sup>2</sup> )	280 sheets	280 sheets	800 sheets	500 sheets	80 sheets	
Thick Paper 2	42-55.5 lb. (158-209 g/m <sup>2</sup> )	250 sheets	250 sheets	700 sheets	450 sheets	70 sheets	
Thick Paper 3	55.75-68 lb. (210-256 g/m <sup>2</sup> )	200 sheets	200 sheets	600 sheets	400 sheets	60 sheets	
Thick Paper 4	68.25-79.75 lb. (257-300 g/m <sup>2</sup> )	-	-	-	-	50 sheets	No
Postcards	-	-	-	200 sheets	200 sheets	50 sheets	
Labels	-	-	-	-	-	50 sheets	
OHP Film Transparency	-	-	-	-	-	20 sheets*	
Envelopes	-	-	-	-	-	10 envelopes	
Banner Paper	127-210 g/m <sup>2</sup>	-	-	-	-	1 sheet	

### LU-204 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LARGE-CAPACITY TRAY	AUTO DUPLEX**
Plain Paper	64-90 g/m <sup>2</sup>	2,500 sheets	Yes
Thick Paper 1	91-120 g/m <sup>2</sup>	2,000 sheets	
Thick Paper 1+	121-157 g/m <sup>2</sup>	1,450 sheets	
Thick Paper 2	158-209 g/m <sup>2</sup>	1,250 sheets	
Thick Paper 3	210-256 g/m <sup>2</sup>	1,000 sheets	

### LU-301 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LARGE-CAPACITY TRAY	AUTO DUPLEX**
Plain Paper	64-90 g/m <sup>2</sup>	3,000 sheets	Yes
Thick Paper 1	91-120 g/m <sup>2</sup>	2,500 sheets	
Thick Paper 1+	121-157 g/m <sup>2</sup>	1,750 sheets	
Thick Paper 2	158-209 g/m <sup>2</sup>	1,550 sheets	
Thick Paper 3	210-256 g/m <sup>2</sup>	1,300 sheets	

\* Monochrome print only.

\*\* For Auto Duplex, only plain paper weighing 64-90 g/m<sup>2</sup> or thick paper weighing 91-256 g/m<sup>2</sup> are reliably fed.

# Recommended Media and Specifications B&W MFPs

## Recommended Media: bizhub 601/751

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Tidal MP	n/a	162008	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
<b>RECYCLED</b>								
International Paper	Hammermill Bond	n/a	118315	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
Domtar	Recycled Copy	n/a	30% Post Consumer / 51446-00	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
New Leaf	Encore 100	n/a	100% PCW Recycled Paper	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
<b>TRANSPARENCY**</b>								
3M	Transparency	n/a	CG3700	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Bypass	OHP	No
<b>LABELS**</b>								
Avery	White Mailing Labels	n/a	AVE5352	Letter	-	Bypass	Labels	No
Avery	White Mailing Labels	n/a	AVE5160	Letter	-	Bypass	Labels	No
<b>THICK PAPER</b>								
Fox River Paper Company	Gilbert Color Copy	n/a	-	Letter	43 lb. Bond (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick Paper	Yes
International Paper	Hammermill Laser Print	n/a	104646	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick Paper	Yes
<b>THIN PAPER</b>								
Domtar	-	n/a	-	Letter	16 lb. Bond (61 g/m <sup>2</sup> )	Any Tray, Bypass	Thin Paper	Yes
<b>TAB PAPER</b>								
3M	Avery 7103	n/a	-	Letter	-	Tray 3 & 4, Bypass	Tab	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* Labels and transparencies can only be fed through the bypass tray.

# Recommended Media and Specifications B&W MFPs

---

## Media Type Specification: bizhub 601/751

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	ALL TRAYS	MULTIPLE BYPASS	AUTO DUPLEX
Plain Paper	60-90 g/m <sup>2</sup>	Supported	Supported	Yes
Recycled	60-90 g/m <sup>2</sup>			
Thin Paper	50-59 g/m <sup>2</sup>			
Thick Paper	91-200 g/m <sup>2</sup>			
Labels*	-	Not Supported	Not Supported	No
OHP Film Transparency*	-			
Tab Paper	-			
Envelopes	Not Supported	Not Supported	Not Supported	Not Supported

\* Label paper and transparencies are loaded and fed one sheet at a time.



# Recommended Media and Specifications B&W MFPs

## Recommended Media: bizhub 654/754

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
Domtar	Recycled Copy	n/a	30% Post Consumer	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Recycled	Yes
International Paper	Hammermill Tidal MP	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
International Paper	Hammermill Color Copy	n/a	-	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
<b>COVER STOCK</b>								
International Paper	Hammermill Color Copy Cover	n/a	-	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill Color Copy Cover	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Hammermill Color Copy Cover	n/a	-	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	Yes
<b>BANNER PAPER</b>								
Konica Minolta	Banner Paper	76400 02409	Plain Paper 200 sheets	11.75" x 47.25"	100 lb. Text (180 g/m <sup>2</sup> )	Bypass	Banner Mode / Thick 1	Yes
<b>LABELS</b>								
Avery	Color Printing Labels	n/a	#6870 30 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6973 8 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6876 2 labels/ sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	#6878 4 labels/ sheet	Letter	-	Bypass	Thick 1	No
<b>ENVELOPES</b>								
Preservation	Wove	n/a	Preservation Wove 5789 #6 3/4	3.85" x 6.5"	24 lb.	Bypass	Envelope	No
<b>TAB DIVIDERS</b>								
Avery	Dennison Long Edge	n/a	#20406 long edge	Letter	-	Bypass	Thick 1	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications B&W MFPs

## Media Type Specification: bizhub 654/754

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	TRAY 3	TRAY 4	MULTIPLE BYPASS	AUTO DUPLEX
Plain Paper	14-15.5 lb. (50-55 g/m <sup>2</sup> )	500 sheets	500 sheets	1,500 sheets	1,000 sheets	100 sheets	Yes
Recycled Paper	16-20 lb. (60-75 g/m <sup>2</sup> )						
Thick Paper 1	24.25-32 lb. (90-120 g/m <sup>2</sup> )	400 sheets	400 sheets	1,150 sheets	750 sheets		
Thick Paper 2	42-55.5 lb. (158-210 g/m <sup>2</sup> )	250 sheets	250 sheets	700 sheets	450 sheets	70 sheets	
Thick Paper 3	55.75-68 lb. (210-255 g/m <sup>2</sup> )	200 sheets	200 sheets	600 sheets	400 sheets	60 sheets	
Thick Paper 4	68.25-79.75 lb. (256-305 g/m <sup>2</sup> )	-	-	-	-	50 sheets	
Envelopes	-	-	-	-	-	10 sheets	No
Banner Paper	34-55.5 lb. (130-210 g/m <sup>2</sup> )	-	-	-	-		
Postcards	-	-	-	200 sheets	200 sheets	50 sheets	
Labels	-	-	-	-	-		

### LU-310 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 5	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	3,000 sheets	Yes
Thick Paper 1	24.25-32 lb. (90-120 g/m <sup>2</sup> )	2,500 sheets	
Thick Paper 1+	32.25-41.75 lb. (120-155 g/m <sup>2</sup> )	1,750 sheets	
Thick Paper 2	42-55.5 lb. (158-210 g/m <sup>2</sup> )	1,550 sheets	
Thick Paper 3	55.75-68 lb. (210-255 g/m <sup>2</sup> )	1,300 sheets	

### LU-204 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 5	AUTO DUPLEX
Plain Paper	16-24 lb. (60-90 g/m <sup>2</sup> )	2,500 sheets	Yes
Thick Paper 1	24.25-32 lb. (90-120 g/m <sup>2</sup> )	2,000 sheets	
Thick Paper 1+	32.25-41.75 lb. (120-155 g/m <sup>2</sup> )	1,450 sheets	
Thick Paper 2	42-55.5 lb. (158-210 g/m <sup>2</sup> )	1,250 sheets	
Thick Paper 3	55.75-68 lb. (210-255 g/m <sup>2</sup> )	1,000 sheets	



# Recommended Media and Specifications B&W Printers

## Recommended Media: bizhub 20/20P

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Laser Print	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Multipurpose	Plain Paper	Yes
Xerox	4200 Business Multipurpose	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Multipurpose	Plain Paper	Yes
<b>TRANSPARENCY</b>								
3M	Transparency Film	n/a	Color Laser CG3300	Letter	0.09mm	Multipurpose	Transparency	No
<b>LABELS</b>								
Avery	Mailing Labels	n/a	5160	Letter	-	Multipurpose	Transparency	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

## Media Type Specification: bizhub 20/20P

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	MULTIPURPOSE	AUTO DUPLEX
Plain Paper	16-28 lb. Bond	250 sheets	50 sheets	Yes
Thick Paper	16-43 lb. Bond	Yes	Yes	No
Recycled Paper	16-28 lb. Bond			Yes
Transparency*	-	Not Supported	10 sheets	No
Envelopes	-		3 envelopes	
Labels*	-		Yes	

\* For transparencies or labels, we recommend removing printed pages from the output tray immediately after they exit the machine to avoid the possibility of smudging.

### PF-P10 SUPPORTED MEDIA (OPTION)

MEDIA TYPE	WEIGHT	TRAY 2	AUTO DUPLEX
Plain Paper	16-28 lb. Bond	250 sheets	Yes
Recycled Paper	16-28 lb. Bond		

# Recommended Media and Specifications B&W Printers

## Recommended Media: pagepro 4650EN/5650EN & bizhub 40P/X

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Fore MP	n/a	101279	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Multipurpose, Manual Feed	Plain Paper	Yes
International Paper	Hammermill Photo White	n/a	10246-7	Letter	28 lb. Bond (104 g/m <sup>2</sup> )	Multipurpose, Manual Feed	Plain Paper	Yes
International Paper	Hammermill Tidal MP	n/a	16200-8	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Multipurpose, Manual Feed	Plain Paper	Yes
Xerox	4200 Business Multipurpose	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Multipurpose, Manual Feed	Plain Paper	Yes
Boise	Cascade	n/a	X9000	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Multipurpose, Manual Feed	Plain Paper	Yes
<b>THICK STOCK</b>								
Xerox	65 lb. Cover Stock	n/a	3R3041	Letter	65 lb. Bond (175 g/m <sup>2</sup> )	Multipurpose, Manual Feed	Thick 1	Yes
Neenah	Classic Crest	n/a	-	Letter	80 lb. Cover (218 g/m <sup>2</sup> )	Multipurpose, Manual Feed	Thick 2	Yes
Oxford	White Recycled Index Cards	n/a	40801	3" x 5"	-	Multipurpose, Manual Feed	Thick 1	Yes
<b>ENVELOPES</b>								
Columbian	Recycled	n/a	COR02	#10	24 lb.	Manual Feed	Envelope	No
Vanguard	COM-10	n/a	6470	#10	20 lb.	Manual Feed	Envelope	No
Monroe	Monarch	n/a		#10		Manual Feed	Envelope	No
Williamhouse	COM-10	n/a	647282	#10	24 lb.	Manual Feed	Envelope	No
<b>TRANSPARENCY</b>								
3M	Transparency Film	n/a	Color Laser CG3300	Letter	0.09mm	Multipurpose	OHP	No
<b>LABELS</b>								
Avery	Mailing Labels	n/a	5160	Letter	-	Multipurpose	Label	No
<b>BANNER PAPER</b>								
Konica Minolta	Q-Media	1710637-001	Banner	8.5" x 40"	65 lb. Bond (175 g/m <sup>2</sup> )	Multipurpose	Banner Mode	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

# Recommended Media and Specifications B&W Printers

## Media Type Specification: pagepro 4650EN

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	AUTO DUPLEX*
Plain Paper	60-105 g/m <sup>2</sup>	150 sheets	550 sheets	Yes
Recycled	60-105 g/m <sup>2</sup>	150 sheets	550 sheets	
Thick Paper 1	106-159 g/m <sup>2</sup>	60 sheets	160 sheets	
Thick Paper 2	160-216 g/m <sup>2</sup>	60 sheets	160 sheets	
OHP Film Transparency	-	100 sheets	100 sheets	No
Postcards	-	55 sheets	200 sheets	
Labels	-	100 sheets	290 sheets	
Banner Paper	127-210 g/m <sup>2</sup>	1 sheet	-	
Envelopes	-	15 sheets	80 sheets	

## Media Type Specification: pagepro 5650EN & bizhub 40P/X

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	AUTO DUPLEX*
Plain Paper	68-105 g/m <sup>2</sup>	150 sheets	550 sheets	Yes
Recycled	68-105 g/m <sup>2</sup>	150 sheets	550 sheets	
Thick Paper 1	106-159 g/m <sup>2</sup>	60 sheets	160 sheets	
Thick Paper 2	160-216 g/m <sup>2</sup>	60 sheets	160 sheets	
Thick Paper 3	106-216 g/m <sup>2</sup>	60 sheets	160 sheets	
Thin Paper	64-67 g/m <sup>2</sup>	Supported	Supported	
OHP Film Transparency	-	100 sheets	100 sheets	No
Postcards	-	55 sheets	200 sheets	
Labels	-	100 sheets	290 sheets	
Banner Paper	127-210 g/m <sup>2</sup>	1 sheet	-	
Envelopes	-	15 sheets	80 sheets	

\* Only if duplex option is installed.

# Recommended Media and Specifications B&W Printers

## Recommended Media: pagepro 9100N

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Laser Print	n/a	10460-4	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Multipurpose, Standard Tray	Plain Paper	Yes
Xerox	4024 DP	n/a	3R727	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Multipurpose, Standard Tray	Plain Paper	Yes
<b>THICK STOCK</b>								
Xerox	65 lb. Cover Stock	n/a	3R3041	Letter	65 lb. Bond (175 g/m <sup>2</sup> )	Multipurpose, Standard Tray	Thick	Yes
<b>ENVELOPES</b>								
Columbian	Recycled	n/a	COR02	#10	24 lb.	Multipurpose	Envelope	No
Columbian	Laser Quality	n/a	CO130	#10	24 lb.	Multipurpose	Envelope	No
<b>TRANSPARENCY</b>								
Konica Minolta	Q-Media	1710463-001	Transparency 50 sheets	Letter	-	Multipurpose	Trans.	No
Konica Minolta	Q-Media	1710463-002	Transparency 50 sheets	Letter	-	Multipurpose	Trans.	No
<b>LABELS</b>								
Avery	Laser	n/a	Mailing Labels 5260	Letter	0.16 mm	Multipurpose	Label	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

## Media Type Specification: pagepro 9100N

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	SPECIFICATIONS	SETTING
Plain Paper	16–24 lb. Bond (60–90 g/m <sup>2</sup> )	Plain Paper
Thick Stock	24–90 lb. Index (90–163 g/m <sup>2</sup> )	Thick

# Paper Manufacturers

---

For more information regarding many of the media manufacturers shown in this guide, please navigate to each company's respective website.

MANUFACTURER	WEBSITE
Avery	<a href="http://www.avery.com">http://www.avery.com</a>
Domtar	<a href="http://www.domtar.com">http://www.domtar.com</a>
International Paper	<a href="http://www.internationalpaper.com">http://www.internationalpaper.com</a>
Mohawk Fine Papers, Inc.	<a href="http://www.mohawkpaper.com">http://www.mohawkpaper.com</a>
Neenah Paper	<a href="http://www.neenahpaper.com">http://www.neenahpaper.com</a>
New Leaf Paper	<a href="http://www.newleafpaper.com">http://www.newleafpaper.com</a>
Sappi	<a href="http://www.sappi.com">http://www.sappi.com</a>
Smart Papers	<a href="http://www.smartpapers.com">http://www.smartpapers.com</a>
Wausau Paper	<a href="http://www.wausaupaper.com">http://www.wausaupaper.com</a>
Weyerhaeuser	<a href="http://www.weyerhaeuser.com">http://www.weyerhaeuser.com</a>







© 2013 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
All rights reserved. Reproduction in whole or in part  
without written permission is prohibited. Konica Minolta  
is a trademark of KONICA MINOLTA HOLDINGS, INC.  
The essentials of imaging is a registered trademark of  
KONICA MINOLTA HOLDINGS, INC. bizhub, magicolor  
and pagepro are registered trademarks of KONICA  
MINOLTA BUSINESS TECHNOLOGIES, INC. All  
other brands and product names are registered  
trademarks or trademarks of their respective owners.

Design & specifications are subject to change without notice.



**KONICA MINOLTA**

KONICA MINOLTA  
BUSINESS SOLUTIONS U.S.A., INC.  
100 Williams Drive  
Ramsey, NJ 07446  
[www.kmbs.konicaminolta.us](http://www.kmbs.konicaminolta.us)